



Supporting your **Local Distributor**




Large Workshop Vernier Caliper

See page 2 for details.



Traditional Feeler Gauge Set

See page 12 for details.



Digital Indicator

See page 8 for details.



Magnetic Articulating Stand

See page 9 for details.



Hotlist

Issue 44

Valid until 31/03/2019

Autumn/Winter 2018/19

Sliding Prices this Winter

Moore & Wright Workshop Vernier Caliper 100 Series

Complies with: DIN 862

- ◆ Standard workshop model with locking screw
- ◆ 4-way measurement
- ◆ Made of hardened alloyed stainless steel
- ◆ Chromed scale with engraved graduations
- ◆ Measuring surface is micro-lapped
- ◆ Supplied in case



Workshop Vernier Caliper

Code No	Range (mm)	Range (inch)	Resolution (mm)	Resolution (inch)	Accuracy (mm)	List Price	Hotprice
MW100-15B	0-150	0-6	0.05	1/128	±0.05	£16.60	£15.00 T
MW100-20B	0-200	0-8	0.05	1/128	±0.05	£22.00	£20.00 T
MW100-30B	0-300	0-12	0.05	1/128	±0.08	£36.50	£33.00 T



Moore & Wright Plastic Digital Caliper

- ◆ Standard: Factory standard
- ◆ Digital functions: mm/inch, zero setting, auto off
- ◆ 4-way measurement
- ◆ Manufactured from glass reinforced nylon material
- ◆ Highly durable design
- ◆ Plastic depth rod



Metric / Imperial: Digital Caliper

Code No	Range (mm)	Range (inch)	Resolution (mm)	Resolution (inch)	Accuracy (mm)	Accuracy (inch)	Jaws	List Price	Hotprice
ECP015D	0-150	0-6	0.01	0.0005	±0.05	±0.002	40mm	£89.50	£81.00 T

Moore & Wright Large Workshop Vernier Caliper 150 Series

- ◆ Standard: Factory Standard
- ◆ Standard workshop model with locking screw
- ◆ Jaws for internal and external measurement
- ◆ Mono block solid slider
- ◆ Made of hardened alloyed stainless steel



Large Workshop Vernier Caliper

Code No	Range (mm)	Range (inch)	Resolution (mm)	Resolution (inch)	Accuracy (mm)	List Price	Hotprice
MW150-52	0-500	0-20	0.02	0.001	±0.05	£85.50	£77.00 T
MW150-55	0-500	0-20	0.05	1/128	±0.07	£76.00	£68.50 T
MW150-62	0-600	0-24	0.02	0.001	±0.05	£111.00	£100.00 T
MW150-65	0-600	0-24	0.05	1/128	±0.08	£98.00	£88.50 T
MW150-72	0-1000	0-40	0.02	0.001	±0.07	£316.00	£284.50 T
MW150-75	0-1000	0-40	0.05	1/128	±0.10	£305.50	£275.00 T



Digital Caliper 110 Series

Complies with: DIN 862

Value Line DBL Caliper

- ▲ ABS / INC measurement
- ▲ Large LCD display
- ▲ On/off switch
- ▲ Zero point at any position
- ▲ Displays values in mm and inch
- ▲ All metal parts made of hardened stainless steel
- ▲ CR2032 battery

Water Resistant Caliper


- ▲ Water and dust resistant to IP54 specification
- ▲ Functions: mm/inch conversion, on/off, zero setting
- ▲ Patented ceramic capacitive sensor
- ▲ Thumb wheel for fine adjustment
- ▲ CR2032 battery
- ▲ ABS / INC measurement
- ▲ 4-way measurement




* Buy one and get the same size DBL caliper FREE!



Only on Water Resistant Caliper



MW110-15DBL



MW110-15WR

Digital Caliper

Code No	Range (mm)	Range (inch)	Resolution (mm)	Resolution (inch)	Accuracy (mm)	Jaws	List Price	Hotprice
MW110-15DBL	0-150	0-6	0.01	0.0005	±0.03	40mm	£43.50	T
MW110-20DBL	0-200	0-8	0.01	0.0005	±0.03	50mm	£74.00	T
MW110-30DBL	0-300	0-12	0.01	0.0005	±0.04	60mm	£121.00	T
MW110-15WR	0-150	0-6	0.01	0.0005	±0.03	40mm	£61.00	£55.00 T
MW110-20WR	0-200	0-8	0.01	0.0005	±0.03	50mm	£93.50	£84.50 T
MW110-30WR	0-300	0-12	0.01	0.0005	±0.04	60mm	£137.00	£123.50 T

Moore & Wright Workshop Vernier Caliper 100 Series

- ◆ Standard: Factory Standard
- ◆ Digital functions: mm / inch conversion, on/off, data-output, zero-setting, ABS / zero, battery low indication
- ◆ Long jaws with internal measuring nibs
- ◆ Ground micro-lapped measuring surfaces
- ◆ Thumb wheel for fine adjustment



Large Digital Workshop Caliper

Code No	Range (mm)	Range (inch)	Resolution (mm)	Resolution (inch)	Accuracy (mm)	Jaws	Internal Nibs	List Price	Hotprice
MW150-50DDL	0-500	0-20	0.01	0.0005	±0.05	100mm	18 x 10mm	£158.00	£142.50 T
MW150-60DDL	0-600	0-24	0.01	0.0005	±0.05	100mm	24 x 10mm	£239.00	£215.50 T

Moore & Wright Large Workshop Vernier Caliper 150 Series

- ◆ Factory standard
- ◆ Standard digital functions: mm / inch conversion, on / off, zero-setting, battery low indication
- ◆ Ground micro-lapped measuring surfaces
- ◆ Supplied without Hook (B)
- ◆ Available with Hook (H) - On Request



Depth Caliper (Without Hook)

Code No	Range (mm)	Range (inch)	Resolution (mm)	Resolution (inch)	Accuracy (mm)	Size of Base (mm)	List Price	Hotprice
MW170-15DB	0-150	0-6	0.01	0.0005	0.03	100	£53.50	£48.50 T
MW170-20DB	0-200	0-8	0.01	0.0005	0.03	100	£66.50	£60.00 T
MW170-30DB	0-300	0-12	0.01	0.0005	0.04	150	£85.50	£77.00 T
MW170-30DB/100	0-300	0-12	0.01	0.0005	0.04	100	£85.50	£77.00 T

Snapcal 461

- ◆ Spring-loaded travel
- ◆ Inch/mm conversion
- ◆ Wide faced flat jaw for easy positioning
- ◆ Hardened stainless steel construction
- ◆ Supplied in rugged holster



Snapcal 461

Code No	Range (mm)	Range (inch)	Resolution (mm)	Resolution (inch)	Accuracy (mm)	Accuracy (inch)	List Price	Hotprice
MW461-01D	0-30	0-1.25	0.01	0.0005	+/-0.02	0.001	£76.00	£68.50 T

Mechanical Bore Gauge - XT Analogue

- Range 2-300mm (0.080"-12")
- Graduation: 0.002mm from 6-20mm, 0.005mm above 20mm
- Tungsten carbide measuring faces on all 3-point heads from 12.5mm
- Blind bore measurement from 2mm-6mm and above 12.5mm (0.500")
- Extensions available above 6mm for deep hole measurement
- Ratchet stop to ensure consistent measurement
- Setting rings included with individual instruments and sets
- UKAS certificate supplied as standard with all setting rings
- UKAS certificate supplied as standard with all XT mechanical micrometers
- Serial number on all gauges
- Bore gauges manufactured according to DIN 863, part 4
- Supplied in fitted case
- Configured sets available

Prices inclusive of setting ring and

UKAS
Calibration
Certificate



UP TO
**15%
SAVING**



XTMICRO 6-20mm

- More compact mechanical controller
- Lighter and ergonomically designed
- Improved functionality
- Vernier scale added to improve resolution from 5µ to 2µ

Vernier scale
added to improve
resolution from
5µ to 2µ



Mechanical Bore Gauge - XT Analogue

Code No	Range (mm)	Setting Ring (mm)	List Price	Hotprice
XT Micro	MXTA6M	6-8	£232.00	£197.50 A
	MXTA8M	8-10	£241.50	£205.50 A
	MXTA10M	10-12.5	£241.50	£205.50 A
	MXTA12M	12.5-16	£241.50	£205.50 A
	MXTA16M	16-20	£246.00	£209.50 A
	XTA20M	20-25	£268.00	£228.00 A
	XTA25M	25-35	£385.50	£328.00 A
	XTA35M	35-50	£393.00	£334.50 A
	XTA50M	50-65	£467.50	£397.50 A
	XTA65M	65-80	£467.50	£397.50 A
	XTA80M	80-100	£592.50	£504.00 A

Code No	Range (inch)	Setting Ring (inch)	List Price	Hotprice
MXTA6i	1/4-5/16	0.3125	£232.00	£197.50 A
MXTA8i	5/16-3/8	0.3125	£241.50	£205.50 A
MXTA10i	3/8-1/2	0.500	£241.50	£205.50 A
MXTA12i	1/2-5/8	0.500	£241.50	£205.50 A
MXTA16i	5/8-3/4	0.750	£246.00	£209.50 A
XTA20i	3/4-1	0.750	£268.00	£228.00 A
XTA25i	1-1 3/8	1.375	£385.50	£328.00 A
XTA35i	1 3/8-2	1.375	£393.00	£334.50 A
XTA50i	2-2 5/8	2.625	£467.50	£397.50 A
XTA65i	2 5/8-3 1/4	2.625	£467.50	£397.50 A
XTA80i	3 1/4-4	3.250	£592.50	£504.00 A

Sets: Supplied with individual instrument, setting rings and UKAS Certificates

Code No	Range (mm)	Measuring Heads	Setting Rings	List Price	Hotprice
SMXTA4M	10-20	3	2	£652.00	£554.50 A
SXTA5M	20-50	3	2	£1,024.50	£871.00 A
SXTA6M	50-100	3	2	£1,392.50	£1,184.00 A

Code No	Range (inch)	Measuring Heads	Setting Rings	List Price	Hotprice
SXTA4i	3/8-3/4	3	2	£652.00	£554.50 A
SXTA5i	3/4-2	3	2	£1,024.50	£871.00 A
SXTA6i	2-4	3	2	£1,392.50	£1,184.00 A

Moore & Wright Traditional External Micrometer, 1961 and 1965 Series

Complies with: BS870, DIN 863/1, ISO361

All models feature


- ◆ Tungsten carbide measuring faces
- ◆ 6.5mm spindle diameter
- ◆ 'Speeder' type ratchet
- ◆ Locking lever
- ◆ Choice of standard or vernier type sleeve
- ◆ Supplied in plastic pocket case
- ◆ Adjusting key

1961 Series features

- ◆ Capacity of 0-25mm / 0-1"
- ◆ Pearl chrome plated frame with insulation pads

1965 Series features

- ◆ Capacity from 0-25mm / 0-1"
- ◆ Blue textured frame finish
- ◆ Tapered bow frame



UP TO
**20%
SAVING**

Visit www.bowersgroup.co.uk
to view our full range of micrometers

Mechanical External Micrometer - Imperial: 0-1" and Metric 0-25mm

Range (mm)	Range (inch)	0.001" Reading	0.01mm Reading	List Price	Hotprice	0.0001" Reading	0.002mm Reading	List Price	Hotprice
0-25	0-1	1961	1961M	£60.00	£48.00 T	1961B	1961MB	£67.50	£54.00 T
0-25	0-1	1965	1965M	£42.50	£34.00 T	1965B	1965MB	£48.00	£38.50 T

Moore & Wright Traditional External Micrometer, 1966 Series

- ◆ Tungsten carbide measuring faces
- ◆ 6.5mm spindle diameter
- ◆ Blue textured frame finish
- ◆ 'Speeder' type ratchet
- ◆ Locking lever
- ◆ Adjusting key
- ◆ Supplied in case
- ◆ Tapered bow frame
- ◆ Choice of standard or vernier type sleeve
- ◆ Supplied with setting standard

UP TO
**20%
SAVING**

Mechanical External Micrometer - Imperial: 1-6"

Range (inch)	0.001"	List Price	Hotprice	0.0001"	List Price	Hotprice
1-2	19662	£60.00	£48.00 T	1966B2	£67.50	£54.00 T
2-3	19663	£78.00	£62.50 T	1966B3	£85.50	£68.50 T
3-4	19664	£88.00	£70.50 T	1966B4	£94.50	£76.00 T
4-5	19665	£96.00	£77.00 T	1966B5	£101.00	£81.00 T
5-6	19666	£99.00	£79.50 T	1966B6	£103.00	£82.50 T



Mechanical External Micrometer - Metric: 25-150mm

Range (mm)	0.01mm	List Price	Hotprice	0.002mm	List Price	Hotprice
25-50	1966M50	£60.00	£48.00 T	1966MB50	£67.50	£54.00 T
50-75	1966M75	£78.00	£62.50 T	1966MB75	£85.50	£68.50 T
75-100	1966M100	£88.00	£70.50 T	1966MB100	£94.50	£76.00 T
100-125	1966M125	£96.00	£77.00 T	1966MB125	£101.00	£81.00 T
125-150	1966M150	£98.00	£78.50 T	1966MB150	£103.00	£82.50 T

Micrometer Stand

Code No	Description	List Price	Hotprice
MW279-01A	Stand for micrometers up to 100mm	£13.30	£10.70 T

Moore & Wright Telescopic Gauges 315 Series

- For quick inside measurement and determination of inside diameters
- Spring loaded plunger that expands in the bore or groove
- Satin chromed body
- With auto extension and direct locking
- Measuring faces are hardened and micro-lapped



Telescopic Gauges

Code No	Range (mm)	List Price	Hotprice
MW315-011	8-12.7	£21.00	£18.00 T
MW315-012	12.7-19	£21.00	£18.00 T
MW315-013	19-32	£21.00	£18.00 T
MW315-014	32-54	£21.00	£18.00 T
MW315-015	54-90	£21.00	£18.00 T
MW315-016	90-150	£21.00	£18.00 T

Digital Depth Gauge 172 Series

- 0-25mm / 0-1" travel digital indicator
- Inch / mm conversion
- Zero setting at any position
- Rods connect together for full 550mm capacity
- Base size: 100mm
- Includes 2 extra points for small hole applications



Digital Depth Gauge

Code No	Range (mm)	Range (inch)	Resolution (mm)	Resolution (inch)	List Price	Hotprice
MW172-01D	0-550	0-22	0.01	0.0005	£115.00	£103.50 T

Moore & Wright Dial Indicator 400 Series

Complies with: DIN 878

- ◆ Satin-chromed body
- ◆ With tungsten carbide measuring contact
- ◆ With double dial indicator for measuring mm stroke
- ◆ Shockproof
- ◆ Micron versions are jewelled
- ◆ Adjustable bezel with stop screw
- ◆ Packed in foam box



Dial Indicator

Code No	Description	Range (mm)	Resolution (mm)	Accuracy (mm)	Dial Diameter	List Price	Hotprice
MW400-01	Flat back	0-1.0	0.001	±0.004	58mm	£40.50	£38.50 T
MW400-02	Lug back	0-1.0	0.001	±0.004	58mm	£40.50	£38.50 T
MW400-03	Lug back and flat back	0-3.0	0.01	0.012	42mm	£25.00	£23.80 T
MW400-04	Lug back	0-5.0	0.01	0.014	42mm	£25.00	£23.80 T
MW400-05	Flat back	0-10.0	0.01		58mm	£17.80	£17.00 T
MW400-06	Lug back	0-10.0	0.01	0.016	58mm	£41.50	£39.50 T
MW400-06B	Waterproof	0-10.0	0.01	0.02	54mm	£34.50	£32.80 T
MW400-08	Lug back	0-30.0	0.01	0.035	58mm	£40.50	£38.50 T
MW400-09	Lug back	0-50.0	0.01	0.04	58mm	£85.50	£81.30 T

Moore & Wright Digital Indicator 405 Series

- ◆ Standard: Factory Standard
- ◆ Digital functions: Direct mm / inch conversion, ABS/ INC, zero-setting
- ◆ 58mm dial face
- ◆ Lugback and 8mm stem mountings
- ◆ Also supplied with flatback



Digital Indicator

Code No	Range (mm)	Range (inch)	Resolution (mm)	Resolution (inch)	Accuracy (mm)	Accuracy (inch)	List Price	Hotprice
MW405-04DB	0-12.7	0-0.5	0.01	0.0005	±0.02	±0.0008	£60.00	£54.00 T
MW405-06DB	0-25.0	0-1.0	0.01	0.0005	±0.03	±0.0012	£72.00	£65.00 T

Moore & Wright Magnetic Articulating Stand 477 Series

- ◆ Versatile magnetic base that can be adjusted in almost unlimited ways
- ◆ With fine adjustment
- ◆ 30kg clamp force
- ◆ V -base for mounting on rounded surfaces



Magnetic Articulating Stand

Code No	Description	List Price	Hotprice
MW477-01	Articulating arm magnetic base	£60.00	£54.00 T



Magnetic Indicator Stand 470 Series

- ◆ Basic type
- ◆ With powerful on/off magnetic base
- ◆ Magnetic force 80Kg / 175 LBS
- ◆ Universal model which can be used for indicators with or without lug on back plate
- ◆ Accepts dial test indicators, digital indicators and normal indicators
- ◆ Extra rigid



Magnetic Indicator Stand

Code No	Description	List Price	Hotprice
MW470-01	ON/OFF Magnetic	£16.60	£15.00 T



Steel Pin Gauge Sets

- ◆ Standard: Factory Standard
- ◆ Boxed sets complete with handle
- ◆ Each pin is laser engraved with its size above 1.5mm
- ◆ Each pin is stored in its own tube, marked with the pin size
- ◆ Pin length 50mm
- ◆ Supplied with a certificate of conformity
- ◆ Fully hardened to 60/62 HRC
- ◆ Manufacturing tolerance +/- .002mm



Steel Pin Gauge Sets

Code No	Description	List Price	Hotprice
MW725-01	Steel Pin Gauge Set 51pce 0.50-1.00x.01mm +/- 0.002mm C/W Handle	£235.00	£200.00 T

Moore & Wright Surface Roughness Tester - MTR110

- ◆ Back-light LCD
- ◆ Dynamic Test Display: progress of cut-off length during testing
- ◆ Li-ion rechargeable batteries
- ◆ Protection slide on pick-up
- ◆ Auto-off after 90 seconds
- ◆ Pocket-size and economically priced
- ◆ Both Ra and Rz parameters in one instrument
- ◆ Features external calibration specimen
- ◆ Large measuring range suitable for most materials
- ◆ Piezo-electric pick-up stylus for external surfaces
- ◆ Includes steel test piece
- ◆ Includes charger unit
- ◆ Measurements of shafts above 40mm diameter using the Vee groove in base



Surface Roughness Tester

Code No	Description	List Price	Hotprice
MTR-110UK	Surface Roughness Tester	£1,036.50	£933.00 Q

Moore and Wright Inside & Outside Calipers

Traditional (Hermaphrodite) Caliper features

- Manufactured from polished tool steel
- A large headed nut and screw assembly provides a firm and rigid friction joint, with no play
- The sizes listed are the effective leg length which is measured from the joint assembly
- Leg which holds the round adjustable hardened point is offset
- Model 341 has a locating spur on the straight leg

Note: Firm joint caliper capacities are generally 1/3 greater than the effective leg length.



516



526

Powder Coated Calipers & Dividers features


- Powder coated steel for extra durability
- Sizes listed are the effective leg length which is measured from the joint assembly



336-6



MW516P



MW526P

Caliper Range

Code No	Description	Size	Pack Quantity	List Price	Hotprice
513	Inside	75mm / 3"	5	£17.80	£14.50 F
514	Inside	100mm / 4"	5	£17.80	£14.50 F
516	Inside	150mm / 6"	5	£19.40	£16.00 F
518	Inside	200mm / 8"	1	£28.00	£22.50 F
5110	Inside	250mm / 10"	1	£32.00	£26.00 F
5112	Inside	300mm / 12"	1	£35.50	£28.50 F

Code No	Description	Size	Pack Quantity	List Price	Hotprice
523	Outside	75mm / 3"	5	£17.80	£14.50 F
524	Outside	100mm / 4"	5	£17.80	£14.50 F
526	Outside	150mm / 6"	5	£19.40	£16.00 F
528	Outside	200mm / 8"	1	£28.00	£22.50 F
5210	Outside	250mm / 10"	1	£32.00	£26.00 F
5212	Outside	300mm / 12"	1	£35.50	£28.50 F

Metric / Imperial (Hermaphrodite) Caliper

Code No	Description	Size	Pack Quantity	List Price	Hotprice
336-6	Firm Joint	150mm / 6"	5	£15.30	£12.50 F

Powder Coated Calipers & Dividers


Code No	Description	Size	List Price	Hotprice
MW514P	Inside Calipers	100mm / 4"	£35.50	£28.50 F
MW516P	Inside Calipers	150mm / 6"	£35.50	£28.50 F

Code No	Description	Size	List Price	Hotprice
MW524P	Outside Calipers	100mm / 4"	£35.50	£28.50 F
MW526P	Outside Calipers	150mm / 6"	£35.50	£28.50 F
MW5212P	Outside Calipers	300mm / 12"	£35.50	£28.50 F


Moore & Wright Traditional Feeler Gauge Set - Precision Range

Complies with: DIN 2275

- ◆ All blades are hardened, tempered and polished
- ◆ Nominal thickness marked on each blade
- ◆ Replacement blades available
- ◆ 3" / 75mm & 4" / 100mm available in Retail Pack



387M



389M

Metric Precision Range

Code No	Length (mm)	No. of Blades	Thickness x 0.01mm	Width (mm)	Locking Screw	List Price	Hotprice
387M	75	13		12.7	Yes	£15.30	£12.50 F
388M	100	13	3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 30, 40, 50	12.7	Yes	£16.60	£13.50 F
389M	100	13		12.7	No	£16.60	£13.50 F
394M	150	13	5, 10, 15, 20, 25, 30, 40, 50, 60, 70, 80, 90, 100	12.7	No	£24.00	£19.50 F
398M	300	13		12.7	Yes	£13.30	£11.00 F
391M	75	11	5, 10, 15, 20, 25, 30, 40, 50, 60, 70, 80	12.7	No	£24.00	£19.50 F
393M	75	20		12.7	No	£35.50	£28.50 F
390M	100	20		12.7	No	£50.00	£40.00 F
395M	150	20	3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 30, 40, 50	12.7	No	£72.00	£58.00 F
399M	300	20		12.7	Yes	£87.00	£70.00 F

Pricing: Whilst every effort is made to ensure accuracy and prices, the prices should be used as a guide only. We recommend you contact the sales office for exact pricing information.



BOWERS GROUP

MOORE & WRIGHT

Tel: 08708 50 90 50
sales@moore-and-wright.co.uk
www.moore-and-wright.co.uk

DISTRIBUTED BY:

CAT: LIT1044G