

**Easy Features inside** 

2013

# CLEVER BUILT IN APPLIANCES? EASY.



#### Let's make it simple

Different sizes, features, programmes... selecting the appliances that are right for you and your kitchen doesn't need to be hard. That's why we've created this easy guide. Just choose whatever you need to take care of your daily chores - reliably and in style naturally - so you can get on with the things you enjoy.

	Ovens Microwaves Hobs Hoods and Splashbacks Range Cooker	13 25 37 63 77	COOKING
80	Fridge-freezers In-Column Fridges and Freezers Under Counter Fridge and Freezers How they compare	85 89 93 95	COOLING
99	Full Size Dishwashers Slim Dishwashers Compact Dishwashers How they compare	105 108 110 111	CLEANING
115	Washing Machines Washer Dryers How they compare	121 122 123	WASHING

# **GREATER FREEDOM? EASY.**

Everyday chores. No hassle. More time for living. All yours. Zanussi appliances give you an extra pair of hands around the home, so you can enjoy doing the things you really love. Simple to use and easy to maintain, our appliances do the hard work for you. Day in. Day out. All wrapped up in exquisite design, as you'd expect from our Italian heritage. Take our new Quadro<sup>™</sup> range...

# **EVERYDAY CLEVER APPLIANCES? EASY.**

Introducing our new Quadro<sup>™</sup> range. We've done the homework so you can spend less time on the housework.

#### **Easy choices**

One button and your oven cleans itself, your hob heats up faster, your dishwasher selects the ideal cycle... You'll also find fridge freezers with family-sized storage.

#### Easy use

The new Zanussi Quadro<sup>™</sup> sees life from your perspective, from clearer graphics on screen to controls that are easy to use.

#### Easy fit

Sleek and modern, the new Zanussi Quadro<sup>™</sup> has the looks to match, blending into any kitchen design.





# EASY COOKING

Choose the oven that's right for you and pair it with one of our latest hobs. You can even add a stylish hood to complete the look.

13
19
20
25
31
37
57
63
73
77
78





# CATERING FOR MANY

#### LARGE CAPACITY OVENS

#### How big are they inside?

Extra large. Internal capacity ranges from 70 to 74 litres, which is among the largest out there.

#### Can they cook more in one go?

Yes, such as a roast chicken and a leg of lamb at the same time. Or up to three large pizzas. And with the largest baking tray (25% bigger than standard), you can also bake more at once.

#### How flexible is the space?

Choose from up to five shelf positions with excellent cooking on each level.

#### What about double ovens?

Two cavities provide you with more space and give you the option to bake and grill at the same time.





# COOKING

# **CREATING QUICK,** TASTY DISHES **AVOIDING ENDLESS**

#### **EASY CLEAN OVENS**

CLEANING

#### Does that mean no scrubbing?

Yes, take your pick from our range of easy maintenance ovens.

#### What are my choices?

Choose from easy to clean enamel, a catalytic oven - an aid to cleaning that oxidizes grease and residue, or even Pyrolytic self cleaning.

#### Will Pyrolytic cleaning really do all the work?

Yes, select the 'pyro' function and the oven heats up to a very high temperature, leaving a fine ash that can be easily wiped away. For safety, the door will lock whilst selfcleaning. No cleaning agents are needed and, with some models, you'll even get a reminder to run the programme.

#### **CONVENIENT COOKING FEATURES**

#### Can it cook the perfect pizza?

Easily, with a dedicated programme. The oven will automatically warm up to the ideal temperature and heating conditions for baking pizza. The result? A crisp base with perfectly melted toppings, every time.

#### Are there any features to help cook meat?

Our ovens have a clever function, which combines the full grill with the fan element. This is ideal for cooking meats of all kinds and cuts, with delicious results.

#### Can I cook on more than one shelf?

With Thermaflow<sup>®</sup> you can cook on up to 5 shelves with no transfer of flavour from one dish to another. Lower cooking temperatures and shorter cooking times helps save time and money.





Our new Quadro<sup>™</sup> ovens have an outstanding A-10%\* and even A-20%\* energy rating.

\* 10% more energy-efficient compared to the limit of energy efficiency class A (1 kWh) following EU Directive 2002/40/EC.

\* 20% more energy-efficient compared to the limit of energy efficiency class A (1 kWh) following EU Directive 2002/40/EC

# A GUIDE TO OUR COOKING ICONS

What do the new Zanussi Quadro<sup>™</sup> cooking appliances do and why? Here's your quick guide to our handy functions and features.



#### **Thermaflow**<sup>®</sup>

Imagine the convenience of being able to cook your main meal, pudding and garlic bread at the same time. The clever placement of the fan ensures no transfer of flavour or taste from one dish to another. Lower cooking temperatures and shorter cooking times, helps you save time and money.



#### **Auto Cook**

Ideal if you want to come home to a hot meal, some of our ovens have a fully programmable timer which can cook your food and automatically switch off when you tell it too, giving you more time to relax.

**Thermal Grilling** 

Relax at the weekend with a hasslefree traditional all day breakfast. Thermal grilling uses the fan and grill to cook all your food at once without needing to turn it, saving you time!

#### Defrost 100

So gentle it doesn't even melt cream, delicate foods like gateau can be defrosted in half the time!



#### Pizza Oven

Bring Italy to your home, creating delicious Italian style pizzas with crisp bases and moist melted toppings every time. Not limited to pizzas, this oven will also give wonderful results for flans and quiches.

#### **Top Heat**

For a mouth-watering finish to foods like lemon meringue and shepherds pie, top heat browns gently for great results.

#### **Bottom Heat**

Great for re-heating pies and pasties, bottom heat keeps the base crispy. At low temperatures, it's ideal for plate warming too.

#### WHAT TO LOOK OUT FOR...

- Fast. Clever Zanussi features  $\blacktriangleright$ to get things done guicker. Handy. The things you couldn't
  - live without.



Simple. The touches that make Zanussi so easy to use.



from great Zanussi thinking.



#### **Cooler to Touch**

For added safety our oven doors are air cooled, reducing the external touch temperature.

#### Conventional

Great for one shelf cooking. This oven is hotter at the top and cooler at the bottom.

#### Grillina $\sim$

Cook large or small portions in a healthy and convenient way with the full or economy grill setting.



#### A-20% Energy Rating

A-20% means 20% more efficient than A rating for super efficiency.



#### A-10% Energy Rating

A-10% means 10% more efficient than A rating for better efficiency.



#### **A Energy Rating**

A rating - for great efficiency, helps the environment and your pocket.

#### **Fingerprint Proof Stainless Steel**

Zanussi ovens feature a special antifingerprint finish which means even in the busiest kitchens our oven stays free from messy finger marks.



#### **Multifunction Cooking Options**

Make cooking a more enjoyable part of your life with a multifunction oven, which combines the benefit of fan and conventional ovens with additional functions like pizza and thermal grilling. Experiment and get the best results for all your different recipes and dishes.

# COOKING: SINGLE OVENS

# **ZOP38903XD**

A-20% ∰ Ø Ø Ø Ø Ø AL>

Imagine an oven that cleans itself! At the touch of a button this pyrolytic oven cleans itself, leaving behind only a fine ash, which can be simply wiped away.

Make cooking a more enjoyable part of your life with a multifunction oven, which combines the benefits of the fan and conventional oven for added flexibility.

#### Specifications

- Extra large 74 litre oven capacity
- Fully programmable oven timer with amber LEDs
- Thermaflow  $\ensuremath{^{\ensuremath{\mathbb{R}}}}$  fan cooking, saving you time
- Simple push button digital controls with large display
- Multifunction oven, including Pizza oven and Thermal grilling
- Fan controlled defrosting
- Full variable grill
- Fast heat-up function
- Air cooled quadruple glazed door
- 2 oven shelves
- Bright oven light
- Child lock for added safety
- Please ensure you always grill with the oven door closed for safety and economy

#### **Colour Options**

ZOP38903XD - Stainless Steel



## **ZOP37902XK**



Imagine an oven that cleans itself! At the touch of a button this pyrolytic oven cleans itself, leaving behind only a fine ash, which can be simply wiped away.

The temperature of the door and frame on this oven always stay safely low.

#### Specifications

- Extra large 74 litre oven capacity
- Fully programmable oven timer with amber LEDs
- Thermaflow<sup>®</sup> fan cooking, saving you time
- Multifunction oven, including Pizza oven and Thermal grilling
- Fan controlled defrosting
- Full variable grill
- 2 oven shelves
- Bright oven light
- Air cooled triple glazed door
- Please ensure you always grill with the oven door closed for safety and economy

Colour Options ZOP37902XK - Stainless Steel ZOP37902BK - Black

-	-			
		110		
			1.5	
		ZAMUS		

**Removable glass panes** 

We all know the most hated job in the kitchen is cleaning the oven with one of the hardest parts cleaning the glass doors. That's why most of our ovens have removable glass panes.

For installation diagrams see page 36

For installation diagrams see page 36

# COOKING: SINGLE OVENS

# **ZOA35802XD**



Make cooking a more enjoyable part of your life with a multifunction oven, which combines the benefits of the fan and conventional oven for added flexibility.

Thermaflow<sup>®</sup> fan cooking, the clever placement of the fan ensures no transfer of flavour from one dish to another. Lower cooking temperatures and shorter cooking times, help you save time and money.

#### Specifications

- Extra large 74 litre oven capacity
- Heat activated Catalytic liners, a great help with cleaning
- Retractable oven controls
- Multifunction oven, including Pizza oven and Thermal grilling
- Fan controlled defrosting
- Full variable grill
- Fully programmable oven timer with amber LEDs
- Bright oven light
- 2 oven shelves
- Air cooled double glazed door
- Please ensure you always grill with the oven door closed for safety and economy

#### **Colour Options**

ZOA35802XD - Stainless Steel ZOA35802BK - Black



## **ZOA35502XD**



Make cooking a more enjoyable part of your life with a multifunction oven, which combines the benefits of the fan and conventional oven for added flexibility.



#### Specifications

- Extra large 74 litre oven capacity
- Thermaflow<sup>®</sup> fan cooking, saving you time
- Retractable oven controls
- Fan controlled defrosting
- Full variable grill
- Economy variable grill
- Fully programmable oven timer with amber LEDs
- Clean 'n' clear enamel interior
- Air cooled double glazed door
- 2 oven shelves
- Bright oven light
- Please ensure you always grill with the oven door closed for safety and economy

**Colour Options** 

ZOA35502XD - Stainless Steel



### **ZOB35301XK**



Auto Cook is ideal if you want to come home to a hot meal, some of our ovens have a fully programmable timer which can cook your food and automatically switch off when you tell it too, giving you more time to relax.

#### Specifications

- Large 70 litre oven capacity
- Thermaflow® fan cooking, saving you time
- Rotary oven controls
- Fan controlled defrosting
- Full variable grill
- Fully programmable oven timer with amber LEDs
- Bright oven light
- Clean 'n' clear enamel interior
- Air cooled double glazed door
- Please ensure you always grill with the oven door closed for safety and economy

#### **Colour Options**

ZOB35301XK - Stainless Steel ZOB35301WK - White ZOB35301BK - Black

#### Specifications

**ZOB31301XK** 

A-10%

- Large 70 litre oven capacity
- Thermaflow® fan cooking, saving you time

With simple controls that give excellent results,

this functional oven offers stress free food!

- Rotary oven controls
- Fan controlled defrosting
- Minute minder
- Variable grill
- 2 oven shelves
- Clean 'n' clear enamel interior
- Air cooled double glazed door
- Please ensure you always grill with the oven
- doors closed for safety and economy

#### Colour Options

ZOB31301XK - Stainless Steel ZOB31301WK - White





# COOKING

# ZOA35525XK



Side opening oven door with hinge on the left hand side. Allows easy access to the food.

### **ZOA35526XK**



Side opening oven door with hinge on the right hand side. Allows easy access to the food.

#### Specifications

- Multifunction oven
- Heat activated Catalytic liners, a great help with cleaning
- Thermaflow<sup>®</sup> fan cooking, saving you time
- Rotary oven controls
- Fan controlled defrosting
- Full variable grill
- Turbo grilling
- Fully programmable oven timer with red LEDs
- Air cooled double glazed door
- Please ensure you always grill with the oven door closed for safety and economy

#### **Colour Options**

ZOA35525XK - Stainless Steel right sided handle ZOA35525WK - White right sided handle

#### Specifications

- Multifunction oven
- Heat activated Catalytic liners, a great help with cleaning
- Thermaflow<sup>®</sup> fan cooking, saving you time
- Rotary oven controls
- Fan controlled defrosting
- Full variable grill
- Turbo grilling
- Fully programmable oven timer with red LEDs
- Air cooled double glazed door
- Please ensure you always grill with the oven door closed for safety and economy

#### **Colour Options**

ZOA35526XK - Stainless Steel left sided handle ZOA35526WK - White left sided handle

For installation diagrams see page 36

For installation diagrams see page 36

# COOKING: BUILT-IN DOUBLE OVEN

# COOKING: BUILT-IN/UNDER COUNTER DOUBLE OVENS

## **ZOD35561XK**

# AA 🐼 🖗 🔛 ⊗

Two cavities provides you with more space and gives you the option to bake and grill at the same time.

Thermaflow<sup>®</sup> fan cooking ensures no transfer of flavour from one dish to another. Lower cooking temperatures and shorter cooking times, help you save time and money.

#### **Specifications**

- Fully programmable timer with amber LEDs
- Clean 'n' clear enamel interior in both ovens

#### **Top Oven Functions**

- 5 top oven features, including: Economy variable grill Conventional cooking
- Bottom heat
- Top heat
- 1 oven shelf

- Thermaflow<sup>®</sup> fan operated cooking Defrost
- Full width grill/meat pan
- Please ensure you always grill with the oven door closed for safety and economy

#### **Colour Options** ZOD35561XK - Stainless Steel

ZOD35561WK - White



- Rotary oven controls

- Air cooled double glazed door

#### Main Oven Functions

- 2 main oven functions:
- 2 oven shelves

For installation diagrams see page 36



**ZOD35702XK** 

Make cooking a more enjoyable part of your life with a multifunction oven, which combines the benefits of the fan and conventional oven for added flexibility.

Two cavities provides you with more space and

#### **Specifications**

- Retractable oven controls
- Heat activated catalytic cleaning
- Fully programmable timer with amber LEDs
- Air cooled double glazed door

#### **Top Oven Functions**

- 5 top oven functions, including: Bottom heat
- Top heat
- Conventional cooking Economy variable grill
- 1 oven shelf

#### **Main Oven Functions**

- 7 main oven functions, including:
- Thermal grilling
- Top heat Bottom heat
- Thermaflow<sup>®</sup> fan operated cooking
- Conventional cooking
- Economy variable grill
- 2 oven shelves
- Please ensure you always grill with the oven door closed for safety and economy

#### **Colour Options**

ZOD35702XK - Stainless Steel ZOD35702BK - Black



# COOKING: BUILT-IN/UNDER COUNTER DOUBLE OVENS

# ZOF35702XK ▲ Image: Section 2 Ø Ø Ø Ø Ø Ø

Make cooking a more enjoyable part of your life with a multifunction oven, which combines the benefits of the fan and conventional oven for added flexibility.

Thermaflow<sup>®</sup> fan cooking ensures no transfer of flavour from one dish to another. Lower cooking temperatures and shorter cooking times, help you save time and money.

#### Specifications

- Heat activated catalytic liners, a great help with cleaning
- Retractable oven controls
- Fully programmable timer with amber LEDs
- Air cooled double glazed door

#### **Top Oven Functions**

- 7 top oven features: Conventional cooking Economy variable grilling Bottom heat Top heat
- 1 oven shelf

#### **Main Oven Functions**

- 5 main oven features, including:
- Pizza oven
- Thermal grilling
- Thermaflow<sup>®</sup> fan operated cooking
- Economy variable grill
- Top heat
- Bottom heat
- Full width grill/meat pan
- 2 oven shelves
- Air cooled double glazed door
- Please ensure you always grill with the oven door closed for safety and economy

#### **Colour Options**

ZOF35702XK - Stainless Steel



### **ZOF**35501**XK**

# A 🗟 🕅 🖗

Thermaflow<sup>®</sup> fan cooking ensures no transfer of flavour from one dish to another. Lower cooking temperatures and shorter cooking times, help you save time and money.

Two cavities provides you with more space and gives you the option to bake and grill at the same time.

#### Specifications

- Heat activated catalytic liners, a great help with cleaning
- Rotary oven controls
- Fully programmable timer with amber LEDs
- Air cooled double glazed door

#### **Top Oven Functions**

- 5 top oven features, including:
- Economy variable grill
- Conventional cooking
- Bottom heat
- Top heat
- 1 oven shelf

#### Main Oven Functions

- 2 main oven functions
   Thermaflow<sup>®</sup> fan operated cooking
   Defrost
- Full width grill/meat pan
- 2 oven shelves
- Please ensure you always grill with the oven door closed for safety and economy

#### **Colour Options**

ZOF35501XK - Stainless Steel ZOF35501WK - White



# COOKING: UNDER COUNTER DOUBLE OVENS

# ZOF35561XK

Two cavities provides you with more space and gives you the option to bake and grill at the same time.

Thermaflow<sup>®</sup> fan cooking ensures no transfer of flavour from one dish to another. Lower cooking temperatures and shorter cooking times, help you save time and money.

#### **Specifications**

- Rotary oven controls
- Fully programmable timer with amber LEDs
- Clean 'n' clear enamel liners
- Air cooled double glazed door

#### **Top Oven Functions**

- 5 top oven features, including: Conventional cooking
   Economy variable grill
   Bottom heat
   Top heat
- 1 oven shelf

#### **Main Oven Functions**

- 2 main oven functions: Thermaflow<sup>®</sup> fan operated cooking Defrost
- Denost
- Full width grill/meat pan
- 2 oven shelves
- Please ensure you always grill with the oven door closed for safety and economy

Colour Options ZOF35561XK - Stainless Steel





For installation diagrams see page 36

# MICROWAVES Made Easy.



# COMPLEMENTING YOUR KITCHEN

#### **COMPACT AND MICROWAVE SOLUTIONS**

# Will the compact combi-microwave match larger appliances in the new range?

Yes, all appliances in our Quadro<sup>™</sup> range, including compact products, sit beautifully together as a 'family'.

# Can a microwave enhance a kitchen's design?

Yes, compact microwaves look great when combined with one of our ovens in a column design. And a microwave is easy to install, without the need for any additional kit.

# How does a combi-microwave complement a main oven?

It's ideal if you want to prepare smaller meals or when time is short and you need to get several dishes ready at once.





# **BIG PERFORMANCE IN A SMALL SPACE**

# AN INVALUABLE Tool

#### COMBINATION MICROWAVE OVEN

#### What are the benefits of a combimicrowave?

A combi-microwave acts as a second oven that can be used as a single oven, only smaller, or equally use it as a microwave to reheat, or why not combine microwave and traditional oven to cook in half the time.

#### What features are available?

A range of useful options that make it easier to create daily dishes, from constant even cooking to lower temperature programmes and automatic programmes.

#### How versatile is it?

The versatile combi-microwave ensures your food is crisp and golden, as well being ready in half the time.

#### **MICROWAVE OVENS**

# What are the benefits of having a microwave?

A microwave is an invaluable tool in your kitchen. It will defrost, heat and reheat food much more quickly than a conventional oven. And it will perform all of these functions safely, using very little energy - saving you money.

#### How much can be cooked at one time?

Some models have up to a 38-litre capacity, which will accommodate most dishes easily and let you cook more in one go.

#### What are the benefits of having a grill?

The efficiency of closed door grilling allows you to cool large or small portions in a healthy and convenient way.

# A GUIDE TO OUR MICROWAVE ICONS

What do the new Zanussi Quadro<sup>™</sup> microwave appliances do and why? Here's your quick guide to our handy functions and features.

#### WHAT TO LOOK OUT FOR... **Fast.** Clever Zanussi features to get things done quicker. Handy. The things you couldn't **A** 7 live without.



**Simple.** The touches that make



**Smart.** Practical solutions



#### Microwave

An invaluable asset in your kitchen, a microwave cooks food quickly and safely, with low energy consumption saving you money.

#### **Microwave and Grill** <u>}</u>

HANDY

Great for your Sunday breakfast or cheese on toast, the dual microwave and grill option offers traditional grilling and browning in a fraction of the usual time.





Grill

The efficiency of closed door grilling with all Zanussi microwaves allows you to cook large or small portions in a healthy and convenient way.



#### **Auto Programmes**

Take the guesswork away with Zanussi's auto programmes, designed to cook or defrost your food at the touch of a button.



#### **Combination Microwave**

Ideal for traditional baking and roasting, combining the microwave with a fan oven allows you to cook in half the time.



#### Thermaflow<sup>®</sup> Fan Cooking

The clever placement of the fan ensures no transfer of flavour or taste from one dish to another. Lower cooking temperatures and shorter cooking times helps you save time and money.

# COOKING: MICROWAVES

# **ZKC38310XK**

₩ 1000w **1000w** 

Our modern Quadro<sup>™</sup> design with drop down door looks stylish in any setting but especially when combined, in column, with a Zanussi Quadro<sup>™</sup> oven.



#### Specifications

- Extra large family sized microwave, giving you the added flexibility of being able to cook more at one time
- Microwave and Thermaflow  $\ensuremath{^{\ensuremath{\mathbb{R}}}}$  fan cooking
- 5 auto defrost by weight programmes
- 1500w hinged grill
- 24 hour digital clock in amber LED with auto timer
- Quick start function
- Audible cooking end signal
- Internal halogen light
- Stainless steel interior
- Drop down oven door
- Accessories include glass microwave dish, baking tray and grill

Colour Options ZKC38310XK - Stainless Steel



### **ZBG2654XA**



The smart electronic controls make it easy to select the right programme.

#### Specifications

- 8 auto cook by weight programmes
- 7 auto defrost by weight programmes
- 1000w hinged grill
- 24 hour digital clock in amber LED with auto timer
- Quick start function at full power in 30 second intervals
- Child lock for safety
- Audible cooking end signal
- Stainless steel interior
- Rectangular grill rack
- Internal light

Colour Options ZBG26542XA - Stainless Steel

# **ZBM26542XA**



An invaluable asset in your kitchen, a microwave cooks food quickly and safely, with low energy consumption saving you money.

TRAILING .

#### Specifications

- 7 auto cook by weight programmes and 4 auto defrost by weight programmes
- 7 auto defrost by weight programmes
- Electronic controls
- 24 hour digital clock in amber LED with auto timer
- Quick start function at full power in 30 second intervals
- Child lock for safety
- Audible cooking end signal
- Internal light
- Easy clean interior
- Push button door opening

#### **Colour Options**

ZBM26542XA - Stainless Steel ZBM26542BA - Black

For installation diagrams see page 36

0

# COOKING: SINGLE OVENS

	<u>k</u>		
	ZOP38903XD	ZOP37902XK/BK	ZOA35802XD/BK
OVEN FUNCTIONS			
Thermaflow <sup>®</sup> fan operated cooking	•	•	·
Thermal grilling			•
Conventional cooking Pizza setting	•	•	•
Defrost	•	•	
Full width grill	•	•	•
Economy grill	•	•	•
Turbo grill	•	•	•
Bottom heat - reheat	•		•
Top heat browning			•
OVEN FEATURES Oven door(s)	Quadruple	Triple	Double
Interior halogen lights (Watts)	1 x 15	1 x 40	1 x 40
Interior lights (Position)	Back + Side	Back & side	Back + Side
Touch controls	•		
Digital push button controls			
Retractable controls		•	•
Rotary controls			
Digital display	•	•	•
Digital temperature control Removable door	•	•	•
Removable glass panels	•	•	•
Cooling fan	•	•	•
PROGRAMMER			
Mechanical minute minder			
Fully programmable electronic clock & minute minder	•	•	•
CLEANING			
Pyrolytic oven cleaning 2) Catalytic lining / liners	•	•	
Easy clean enamel interior			•
Fold down grill			•
EQUIPMENT SUPPLIED			
Optional Telescopic runners	S.TRUN2FE	S.TRUN2FE	S.TRUN2FE
Chrome grid runners	•	•	•
Grill pan and trivet	•	•	•
INTERNAL OVEN DIM.	74	74	74
Volume (usage) (litres) Height (mm)	357	357	357
Width (mm)	480	480	480
Depth (mm)	416	416	416
ENERGY INFORMATION			
Oven temperature range (°C)	30-300	30-300	50-250
Energy class	A-20%	A-20%	A-10%
Cooktime standard load static (minutes) Cooktime standard load fan (minutes)			
Energy consumption static (kW/h)	0.89	0.89	0.89
Energy consumption fan (kW/h)	0.79	0.79	0.88
ELECTRICAL CONNECTION			
Connected load (kW)	3.5	3.5	2.8
Fuse rating (A)	16	16	13
Oven/Grill power (max) (kW)	3480/2300	3480/2300	2780/1700
APPLIANCE DIMENSIONS	F00 F04 F00	F00 F04 F00	F00 F04 F00
Height x Width x Depth (mm)	589 x 594 x 568	589 x 594 x 568	589 x 594 x 568
Net weight (Kg) APERTURE DIMENSIONS 1)	36.9	34.1	33.5
Height x Width x Depth (mm)	600 x 560 x 550	600 x 560 x 550	600 x 560 x 550
PACKAGING DIMENSIONS			
Height x Width x Depth (mm)	660 x 630 x 670	660 x 630 x 670	660 x 630 x 670
Gross weight (Kg)	38.3	35.5	34.9
SAFETY & INTERFERENCE SUPPRESSION			
Low Voltage Directive (LVD)	•	•	•
Electromagnetic Compatibility (EMC)			_
Operation and installation instructions	•	•	•

	4 = 0	4		
ZOA35502XD	ZOB35301XK/WK/BK	ZOB31301XK/WK	ZOA35525XK	ZOA35526XK

•	•	•	•	•
			•	•
•	•	•	•	•
•	•	•	•	•
•			•	•
•				

Double	Double	Double	Double	Double
1 x 40	1 x 40	1 x 40	1 x 15	1 x 15
Back + Side				
•				
	•	•	•	•
•	•			
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
		•		
•	•		•	•
•			•	•
	•	•		

				-	-
	S.TRUN2FE			S.TRUN2FE	S.TRUN2FE
	•	Stamped	Stamped	•	•
	•	•	•	•	•
	74	70	70	60	60
	357	357	357	328	328
	480	451	451	437	437
	416	416	416	401	401
	50-250	50-250	50-250	50-250	50-250
	A-10%	A-10%	A-10%	A-10%	A-10%
			43	43	43
				41	41
	0.89	0.89	0.89	0.79	0.79
1	0.88	0.88	0.88	0.79	0.79
	2.8	2.5	2.5	2.5	2.5
	13	13	13	13	13
	2780/1700	2480/1700	2480/1700	2500/2450	2500/2450
J.					
	589 x 594 x 568	589 x 594 x 568	589 x 594 x 568	590 x 594 x 560	590 x 594 x 560
	32.8	30.6	29.8	31.8	31.8
	000 500 550	000 500 550	000 500 550	000 500 550	000 500 550
	600 x 560 x 550				
ł	000 000 050	000 000 050	000 000 070	000 000 050	000 000 070
	660 x 630 x 670				
÷,	34.2	32	31.2	33.3	33.3
	•	•	•	•	•
	•	•	•	•	•
				•	•
	•	•	•	•	•

# COOKING: DOUBLE OVENS

00-00	
tuninul	
ZOD35702XK/BK	Z

	Z0D35702XK/BK	ZOD35561XK/WK
OVEN FUNCTIONS (T=TOP, M=MAIN)	T/M	T/M
Thermaflow <sup>®</sup> fan	/ Fan + Ring	/ Fan + Ring
Conventional cooking	•/•	•/
⊃izza setting		
Defrost	/•	/•
30° Keep Warm		
- Full width grill	•/•	•/
Economy grill		•/
Bottom heat	•/•	•/
Top heat browning	•/	•/
Slow Cooking		
OVEN FEATURES		
Oven door(s)	Double	Double
nterior lights (Watts)	1 /1	1 /1
nterior lights (Position)	Back / Back	Back / Back
Digital Push Button Controls		
Retractable Controls	•	
Digital display	• / Amber	• / Amber
Drop down door	•	•
Cooling fan	•	•
PROGRAMMER		
ully programmable electronic clock & minute minder	•	· .
CLEANING		
Catalytic lining / liners	•	
Easy clean enamel interior		•
Fold down grill		•/
EQUIPMENT SUPPLIED		
Runner type	Grid Runners	Grid Runners
Auto-stop shelves	•	•
Grill pan and trivet	•	•
NTERNAL OVEN DIM. (T=TOP, M=MAIN)		
Volume (usage) (litres)	43/68	43/68
Height (mm)	212/368	212/328
Width (mm)	440/435	440/435
Depth (mm)	448/409	448/409
ENERGY INFORMATION		
Oven temperature range (°C)	50-275	50-275
Energy class	A/A	A/A
Cooktime standard load static (minutes)	52/49	52
Cooktime standard load fan (minutes)	NA/44	NA/44
Energy consumption static (kW/h)	0.79/0.88	790/NA
Energy consumption fan (kW/h)	NA/790	NA/790
Standby power (W)	1.3	1.3
ELECTRICAL CONNECTION		·
Connected load (kW)	5.2	4.2
Euse rating (A)	30	30
Oven power (max) (kW)	2350/2975	2350/1975
Grill power (max) (kW)	2300/2900	2300/NA
APPLIANCE DIMENSIONS	· · · ·	
Height x Width x Depth (mm)	888 x 594 x 548	888 x 594 x 548
Net weight (Kg)	51.5	50.45
APERTURE DIMENSIONS 1)		
Height x Width x Depth (mm)	875 x 560 x 550	875 x 560 x 550
PACKAGING DIMENSIONS		
Height x Width x Depth (mm)	965 x 660 x 705	965 x 660 x 705
Gross weight (Kg)	56.9	55.55
SAFETY & INTERFERENCE SUPPRESSION		
		•
ow Voltage Directive (LVD)	•	
_ow Voltage Directive (LVD) Electromagnetic Compatibility (EMC)	•	•

Refer to user instructions before cutting out.
 5.0 kW/hr.

	0.0	540-00-	540-500
	Bringer and	Series and	Harris and Harrison
	Z0F35702XK	ZOF35501XK/WK	Z0F35561XK
OVEN FUNCTIONS (T=TOP, M=MAIN)	T/M	T/M	T/M
Thermaflow <sup>®</sup> fan	/ Fan + Ring	/ Fan + Ring	/ Fan + Ring
Conventional cooking	•/•	•/	•/
Pizza setting Defrost	/•	/•	/•
80° Keep Warm	7-	7 -	7-
Full width grill	•/•	•/	•/
Economy grill			
Bottom heat	•/	•/	•/
Top heat browning	•/	•/	•/
Slow Cooking			
OVEN FEATURES			
Oven door(s)	Double	Double	Double
Interior lights (Watts)	1 /1	1 /1	1 /1
Interior lights (Position)	Side / Back	Back / Back	Back / Back
Digital Push Button Controls			
Retractable Controls	•		
Digital display	• / Amber	• / Amber	• / Amber
Compact hinge	•	•	•
Cooling fan PROGRAMMER	•	•	•
Fully programmable electronic clock & minute minder	•	•	•
CLEANING			
Catalytic lining / liners	•	•	
Easy clean enamel interior			•
Fold down grill			•/
EQUIPMENT SUPPLIED			
Chrome grid runners	Grid Runners	Grid Runners	Grid Runners
Chrome auto-stop non-tip shelves	•	•	•
Grill pan and trivet	•	•	•
INTERNAL OVEN DIM. (T=TOP, M=MAIN)	10/10	10/10	40.440
Volume (usage) (litres)	40/46	40/46	40/46
Height (mm)	210/246	210/246	210/246 439/441
Width (mm) Depth (mm)	439/441 415/410	439/441 415/410	415/410
	415/410	410/410	415/410
Oven temperature range (°C)	50-275	50-275	50-275
Energy class	A/A	A/A	A/A
Cooktime standard load static (minutes)	52	52	52
Cooktime standard load fan (minutes)	44/48	NA/48	NA/48
Energy consumption static (kW/h)	850/NA	850/NA	790/NA
Energy consumption fan (kW/h)	0,79/0,79	NA/0,79	NA/0,82
Standby power (W)	1.3	0.77	0.77
ELECTRICAL CONNECTION			
Connected load (kW)	5.2	4.2	4.2
Fuse rating (A)	30	30	30
Grill power (max) (kW)	2350/2975	2350/1075	2350/1975
Oven power (max) (kW)	2300/2900	2300/1975	2300/NA
APPLIANCE DIMENSIONS Height x Width x Depth (mm)	715 x 594 x 548	715 x 594 x 548	715 × 504 × 540
Height X Wiath X Depth (mm) Net weight (Kg)	46.95	46.95	715 x 594 x 548 46.95
	40.90	40.90	40.90
Height x Width x Depth (mm)	870 x 600 x 560	870 x 600 x 560	870 x 600 x 560
PACKAGING DIMENSIONS			
Height x Width x Depth (mm)	805 x 660 x 705	805 x 660 x 705	805 x 660 x 705
Gross weight (Kg)	51.8	51.8	51.8
SAFETY & INTERFERENCE SUPPRESSION			
Low Voltage Directive (LVD)	•	•	•
Electromagnetic Compatibility (EMC)	•	•	•
LITERATURE SUPPLIED			

.

•

LITERATURE SUPPLIED Operation and installation instructions

COOKING

ZKC38310XK	ZBG26542XA	ZBM26542XA/BA

MICROWAVE OVENS			
Combi microwave, fan oven & grill	•		
Microwave & grill		•	
Solo microwave			•
PERFORMANCE			
Microwave Output	1000	900	900
Heating Category 1)	E	E	E
Grill Output	1500	1000	
Conventional Oven Output	1600		
FEATURES			
Fully Built-In	•	•	•
Under counter installation/In column installation	•	•	•
Microwave power levels	5	5	5
Hinged grill			
Electronic Push Controls	5	6	5
Control Knobs	2	1	1
Electronic Clock/Timer	•	•	•
Programme End Signal	•	•	•
Internal Light	•	•	•
COOKING MODES			
Microwave	•	•	•
Grill	•	•	
Microwave & Grill	•	•	
Convection (Fan)	•		
Microwave & Convection	•		
Defrost	•	•	•
Auto Defrost By Weight Programmes	5	7	5
Auto Cook By Weight Programmes		8	7
Quickstart		•	•
TECHNICAL			
Total Load Rating (kW)	3400	2400	1300
Fuse (A)	15	13	13
PRODUCT DIMENSIONS			
Oven volume (gross) (litres)	38	26	26
Height x Width x Depth (mm)	455 x 594 x 542	459 x 594 x 437	459 x 594 x 437
Net Weight (kg)	35	18.5	18.5
BUILT IN DIMENSIONS 2)			
Height x Width x Depth (mm)	450 x 560 x 550	450 x 560 x 580	450 x 562 x 500
PACKAGING DIMENSIONS			
Height x Width x Depth (mm)	535 x 680 x 660	525 x 660 x 535	525 x 660 x 535
Gross weight (Kg)	38	22	21.5

Notes

- 1) Heating category of the microwave in line with government guidelines.
- 2) Installation aperture dimensions, for full details refer to installation guidelines.

ZOF38903XD / ZOP37902XK/BK / ZOA35802XD/BK ZOA35502XD / ZOB35301XK/WK/BK / ZOB31301XK/WK



ZOB550XL/WL / ZOB555XL/WL



ZOD35702XK/BK / ZOD35561XK/WK/BK



ZOF35702XK / ZOF35501XK/WK / ZOF35561XK



ZKC38310XK / ZBG26541XA



ZBM26542XA/BA







# **MODERN AND ULTRA FAST**

#### QUICK RESPONSE INDUCTION HOBS

#### How does induction work?

Induction cooking creates a magnetic field, only heating what needs to be heated, the base of your pan.

#### Is it safe and convenient?

Completely. The area around the pan stays cool and is safe to touch. And spills aren't baked on to the surface, making cleaning easy.

#### Can it heat food quickly?

Cooking is nearly twice as fast as using gas. Go from simmering to boiling in an instant. And by heating the base of a pan, there's almost no wasted energy. In fact, induction hob cooking is more efficient than any other electric option - saving up to 30% on bills.





# STYLISH AND HASSLE FREE

#### CERAMIC GLASS & SOLID PLATE

#### Why choose a ceramic hob?

This is the most popular choice, with simple controls, a range of power options and residual heat indicators in some models. Just wipe for a sparkling clean surface.

#### Why choose a solid plate hob?

This type of hob is highly affordable. It can take a few minutes to reach maximum heat, but some models have red heat spots for greater cooking power. When going from a boil to a simmer, it's best to use separate plates.

# INSTANT AND VERSATILE

#### **GAS HOBS**

#### Why choose a gas hob?

Cooking with gas is immediate, visible and gives you maximum control.

#### Is it safe?

Yes. Pots and pans rest firmly on our specially designed supports, all our hobs have automatic ignition and, if the flame goes out, the gas cuts out.

#### How flexible is it?

Our gas hobs are configured to give you an ideal range of cooking options. Look out for such features as the triple-crown gas burner, ideal for wok cooking and creating large dishes in one go.

# **A GUIDE TO OUR HOB ICONS**

What do the new Zanussi Quadro<sup>™</sup> hobs do and why? Here's your quick guide to our handy functions and features.

# **HOB FEATURES**

#### Induction

Induction has all the benefits of easy to clean ceramic, together with the fastest, most responsive cooking, whether you are cooking pasta or melting chocolate. Induction works by creating a magnetic field between the hob and the saucepan - this means that the pan heats, not the hob so it's really safe to use and so easy to clean, the ultimate convenience in hob cooking.

#### **Touch Control**

Welcome to the cutting edge of hob technology; many of Zanussi's hobs now feature electronic touch controls with digital displays which not only make the operation easier but will offer you a larger choice of power levels, giving you total control.

#### Timers $\bigcirc$

When time is of the essence, individual hob timers can be set so you know exactly when your food is cooked and dinner will be ready.

#### Safety

1

We understand the importance of safety within the kitchen which is why our models have a residual heat warning when the hob is still hot. Some models also have a safety lock to prevent settings being changed.

#### **Front Controls**

00 Great for left or right-handed cook's, front controls ensure great flexibility and are easy to use.

# **GAS HOB FEATURES**



#### **Wok Cooking** Ideal for stir fries our wok burner

provides a high heat to ensure all your wok cooking is effortlessly prepared.

## 75cm Extra Space

To enhance your cooking experience, Zanussi offers 75cm gas hobs giving you just a little bit more space with more than enough room for all your pans and for added convenience they fit into the same space as a 60cm hob.



#### **Front Controls**

Ideally positioned at the front of the hob, the controls are easy to use and access, great for left to right handed cooks.



#### **Automatic Ignition**

For added convenience all our burners have automatic ignition, great for single handed operation. Simply push down on the dial and the flame comes on!



Zanussi knows how important peace of mind is to you, that's why all of our gas hobs have flame safety, meaning when the flame goes out the gas cuts off.



# COOKING: INDUCTION HOBS

# ZEI6640XBA

Imagine a hob that boils quicker than gas using the latest innovation. Induction hobs use clever technology to heat the food and not the hob - the fastest and most responsive cooking whether you're melting chocolate or cooking pasta, giving you more time to enjoy your food.



#### Specifications

- Electronic touch controls with digital displays make selection easier and offer a larger choice of power levels and control
- Instant-response hob
- Timer with auto switch-off
- Wipe clean ceramic hob surface
- 9 power levels with red digital display
- 4 induction zones
- Automatic heat up
- Booster setting
- Residual heat indicators
- 99 minute timer with acoustic signal
- Child safety control lock
- Auto safety switch off

#### **Colour Options**

ZEI6640XBA - Stainless Steel frame

### **ZEI8640XBA**



Imagine a hob that boils quicker than gas using the latest innovation. Induction hobs use clever technology to heat the food and not the hob - the fastest and most responsive cooking whether you're melting chocolate or cooking pasta, giving you more time to enjoy your food.



#### Specifications

- 80cm for more space on hob
- Electronic touch controls with digital displays make selection easier and offer a larger choice of power levels and control
- Instant-response hob
- Timer with auto switch-off
- Wipe clean ceramic hob surface
- 9 power levels with red digital display
- 4 induction zones
- Automatic heat up
- Booster setting
- Residual heat indicators
- 99 minute timer with acoustic signal
- Child safety control lock
- Auto safety switch off

Colour Options ZEI6640XBA - Stainless Steel frame

#### Automatic heat up

Zanussi's clever automatic heat up function adds more power to each zone to help reach your selected temperature quicker, saving you time.

For installation diagrams see page 61

For installation diagrams see page 61

# COOKING: INDUCTION HOBS

## **ZEI6240FBA**



Imagine a hob that boils quicker than gas using the latest innovation. Induction hobs use clever technology to heat the food and not the hob - the fastest and most responsive cooking whether you're melting chocolate or cooking pasta, giving you more time to enjoy your food.



#### Specifications

- Electronic touch controls with digital displays make selection easier and offer a larger choice of power levels and control
- Wipe clean ceramic hob surface
- 9 power levels with red digital display
- 4 induction zones
- Residual heat indicators
- Auto safety switch off

**Colour Options** ZEI6240FBA - Frameless

### **ZEI**6840**FBA**



Plug your induction hob into any domestic plug socket. Induction hobs use clever technonolgy to heat the food and not the hob - the fastest and most responsive cooking whether you're melting chocolate or cooking pasta, giving you more time to enjoy your food.



#### Specifications

- Electronic touch controls with digital displays make selection easier and offer a larger choice of power levels and control
- Instant-response hob
- Timer with auto switch-off
- Wipe clean ceramic hob surface
- 9 power levels with red digital display
- 4 induction zones
- Automatic heat up
- Booster setting
- Residual heat indicators
- 99 minute timer with acoustic signal
- Child safety control lock
- Auto safety switch off

# COOKING: CERAMIC HOBS

# ZEV6646XBA



Electronic touch controls with digital displays not only make selection easier but also offer a larger choice of power levels and control.



#### Specifications

- 4 heat zones, including dual fast zone and 1 oval zone
- Wipe clean ceramic hob surface
- 9 power levels with red digital display
- Automatic heat up
- Residual heat indicators
- 99 minute timer with acoustic signal
- Child safety control lock
- Auto safety switch off

#### **Colour Options**

ZEV6646XBA - Stainless Steel frame

## **ZEV8646XBA**



80cm Ceramic Hob. Electronic touch controls with digital displays not only make selection easier but also offer a larger choice of power levels and control.

#### Specifications

- 80cm for more space on hob
- 4 heat zones, including dual fast zone and 1 oval zone
- Wipe clean ceramic hob surface
- 9 power levels with red digital display
- Automatic heat up
- Residual heat indicators
- 99 minute timer with acoustic signal
- Child safety control lock
- Auto safety switch off



# COOKING: ELECTRIC HOBS

### ZEV6240FBA



Great for left or right-handed cooks, front controls ensure total flexibility.

#### Specifications

- Electronic touch controls with digital displays make selection easier and offer a larger choice of power levels and control.
- Wipe clean ceramic hob surface
- 9 power levels with red digital display
- Residual heat indicators
- Auto safety switch off

#### Colour Options ZEV6240FBA - Frameless





# 

#### ZEV6940FBA



# ZEV6940FXA



Great for left or right-handed cooks, front controls ensure total flexibility.

Great for left or right-handed cooks, front controls

Easy to clean

**Specifications** 

ensure total flexibility.

- Residual heat indicators with red LEDs
- Wipe clean ceramic hob surface
- 4 heat zones in 3 sizes
- 10 power levels

#### Colour Options

ZEV6940XBV - Stainless Steel frame ZEV6940FBA - Frameless

#### Stylish one-piece hob surface for easier cleaning

- No dirt traps

**Specifications** 

- Easy to use front controls
- Power on light

#### **Colour Options**

ZEE6940FXA - Stainless Steel ZEE6940FWA - White

For installation diagrams see page 61

For installation diagrams see page 61

For installation diagrams see page 61



### **ZEI3921IBA**



Stylish two zone induction hob, ideal for small kitchens.

#### Specifications

- Easy to use black front rotary controls
- Great for left or right handed cooks, front controls ensure total flexibility
- Two high powered induction zones
- Wipe clean ceramic hob surface
- Power on light

#### Colour Options

ZEI3921IBA - Stainless Steel frame



# ZES3921IBA

#### 

Stylish two zone ceramic hob, ideal for small kitchens.

#### Specifications

- Easy to use black front rotary controls
- Great for left or right handed cooks, front controls ensure total flexibility
- Wipe clean ceramic hob surface
- Power on light

Colour Options

ZES3921IBA - Stainless Steel frame



#### **ZGG35214XA**



Stylish gas domino hob with two burners, ideal for small kitchens.

#### Specifications

- 2 gas burners including 1 rapid burner and 1 simmer burner
- Easy to use black front rotary controls
- Power on light

Colour Options ZGG35214XA - Stainless Steel



# **ZEE3921IXA**



2 solid plate hob ideal for small kitchens.

#### Specifications

- Stylish one-piece hob surface for easier cleaning
- Easy to use black front controls
- Zone with red dot for faster heat up
- Power on light

Colour Options ZEE3921IXA - Stainless Steel

For installation diagrams see page 61

For installation diagrams see page 61

# COOKING: GAS HOBS

# **ZG076534BA**



For a chic contemporary look, this gas on glass hob will enhance the style of your kitchen. Ideal for stir fries, our wok burner provides maximum heat to ensure all your wok cooking is effortlessly prepared.

#### Specifications

- Safety gas cut off using thermocouples
- 5 pureflame burners ultra rapid triple crown wok burner, 3 semi-rapid and 1 simmer burner
- Easy to reach front controls
- Automatic integrated ignition
- Easy clean ceramic surface
- 5 stylish cast iron pan supports
- LPG conversion kit included

#### **Colour Options**

ZGO76534BA - Gas on glass



## **ZGO63414BA**



For a chic contemporary look, this gas on glass hob will enhance the style of your kitchen. Ideal for stir fries, our wok burner provides maximum heat to ensure all your wok cooking is effortlessly prepared.

#### Specifications

- 4 pureflame burners 1 rapid, 2 semi-rapid and 1 simmer
- 4 stylish cast iron pan supports
- Easy to reach side controls
- Safety gas cut off using thermocouples
- LPG conversion kit included



Colour Options ZGO63414XA - Stainless Steel





## **ZGG**96624XA



Extra space to cook more at once. With the extra large hob surface you get 6 pureflame burners to cook more or bigger dishes in one go. Great for all your cooking needs.

#### Specifications

- Safety gas cut-off using thermocouples
- 6 pureflame burners 1 triple crown burner,
   1 rapid burner, 2 semi rapid burners, 2 simmer burners
- Smooth hob surface with no dirt traps
- Easy to reach front controls
- 3 cast iron pan supports
- Automatic integrated ignition
- LPG conversion kit included

Colour Options ZGG96624XA

for all your other pans too.

**ZGG76524XA** 

Specifications
5 pureflame burners - 1 ultra rapid triple crown, 1 rapid, 2 semi-rapid and 1 simmer

To enhance your cooking experience, our 75cm

ideal for wok cooking and more than enough room

wide hob gives you just a little bit more space,

- Wok burner ideal for stir fries
- Stylish one-piece hob surface for easy cleaning
- 3 stylish cast iron pan supports
- Automatic integrated ignition
- Fits standard 60cm cut out
- Safety gas cut off using thermocouples
- LPG conversion kit included

Colour Options ZGG76524XA - Stainless Steel



#### **ZGG766424XA**



Ideal for stir fries, our wok burner provides a high heat to ensure all your wok cooking is effortlessly prepared.

#### Specifications

**Colour Options** 

ZGG66424BA - Black

- 4 pureflame burners 1 wok, 2 semi-rapid and 1 simmer
- Stylish one-piece hob surface for easy cleaning
- 2 stylish cast iron pan supports
- Automatic integrated ignition
- Safety gas cut off using thermocouples
- LPG conversion kit included

ZGG66424XA - Stainless Steel

# 

### **ZGG75524XA**



To enhance your cooking experience, our 75cm wide hobs give you just that little bit more space, ideal for wok cooking and more than enough room for all your other pans too.

#### Specifications

- 5 pureflame burners 1 ultra rapid triple crown,
   1 rapid, 2 semi-rapid and 1 simmer
- Wok burner ideal for stir fries
- Front control panel
- Stylish one-piece hob surface for easy cleaning
- 3 enamel pan supports
- Automatic integrated ignition
- Safety gas cut off using thermocouples
- Fits standard 60cm cut out
- LPG conversion kit included

#### Colour Options

ZGG75524XA - Stainless Steel



# **ZGG**65414**SA**



Great for left or right-handed cooks, the front controls ensure total flexibility.

#### Specifications

- Automatic integrated ignition, great for one handed operation
- Stylish one-piece hob surface for easy cleaning
- 4 pureflame burners 1 rapid, 2 semi-rapid and 1 simmer
- 2 enamel pan supports
- LPG conversion kit included

#### Colour Options

ZGG65414XA - Stainless Steel



# **ZGG62414WA**

# < 👷 > 🎝 🍎

Stylish one-piece hob surface for easy cleaning.

#### Specifications

- Automatic integrated ignition, great for one handed operation
- Easy to grip side rotary controls
- 4 pureflame burners 1 rapid, 2 semi-rapid and 1 simmer
- 2 enamel pan supports
- LPG conversion kit included

#### **Colour Options**

ZGG62414SA - Stainless Steel ZGG62414WA - White



(i)	$\odot$	$\Theta$	OUD	$\Theta^{*}\Theta$
ୁ ହ	$\bigcirc \bigcirc$	$\bigcirc$ $\bigcirc$	$\bigcirc \bigcirc$	$\bigcirc \check{\bigcirc}$

Number of cooking zones         4         6         5         6         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1 <th1< th="">         1         1         1</th1<>		ZEI6640XBA	ZEI6840FBA	ZEI6240FBA	ZEV6646XBA	ZEV6240FBA
Control position         Front Right         Touch	HOB FEATURES					
Control position         Front Right         Touch	Number of cooking zones	4	4	4	4	4
Control type         Touch         Certain           Child lock         . </td <td>0</td> <td>Front Right</td> <td>Front Right</td> <td>Front Right</td> <td>Front Right</td> <td>Front Right</td>	0	Front Right				
Residual heat/Hob on indicator       •       •       •       •         Electronic timer       •       •       •       •         Child lock       •       •       •       •         No of booster zones       4       4       •       •         Autoruchoff       •       •       •       •         Pan support       •       •       •       •         ZONE SPECIFICATION       Induction       Induction       Induction       Ceramic         Front left tains (3) (W)       2.3 / 3.7       2.8       2.3       0.75 / 2.2       2.3         Front left tains (3) (W)       2.10       2.14       1.5       1.45       1.45       1.4	•	0	0	0	0	0
Electronic timer	51		•		•	•
Child lock       •       •         Auto cut-off       •         No of blooster zones       4         Automatic heat up       •       •         Pot sensors       Parsupport         ZONE SPECIFICATION       Induction       Induction       Dual Zone       Ceramic         Front left spec 2)       Induction       Induction       Ceramic       Ceramic         Front left rating 3) (kW)       2.3 / 3.7       2.8       2.3       0.75 / 2.2       2.3         Front left rating 3) (kW)       2.10       214       1.2       1.2       1.2       1.4       1.2       1.4       1.5       1.45       1.45       1.45       1.45       1.45       1.45 </td <td></td> <td></td> <td></td> <td></td> <td>•</td> <td></td>					•	
Auto cut-off       .         No of booster zones       4         Automatic heat up       .         Pat sensors       .         Pan support       .         ZONE SPECIFICATION       Induction         Front left spec 2)       Induction         Front left spec 2)       Induction         Front left rains 3) (WV)       2.3 / 3.7       2.8       2.3       0.75 / 2.2       2.3         Front left rains 3) (WV)       2.4 / 2.5       1.8       1.4       1.2       1.2       1.2         Front left rains 3) (WV)       1.4 / 2.5       1.8       1.45       1			•		•	
No of booster zones       4         Automatic heat up       •       •       •         Pat support       20NE SpecificAtion       Induction       Induction       Dual Zone       Ceramic         ZONE SPECIFICATION       1       1       1       28       2.3       0.75 / 2.2       2.3         Front left rating 3) (kW)       2.3 / 3.7       2.8       2.3       0.75 / 2.2       2.3         Front left rating 3) (kW)       1.4 / 2.5       1.8       1.4       1.2       1.0         Front right pace 2)       Induction       Induction       Ceramic       Ceramic         Front right pace 2)       Induction       Induction       Ceramic       Ceramic         Rear left rating 3) (kW)       1.8       1.2       1.4       1.2       1.2         Rear left rating 3) (kW)       1.8       1.8       1.8       1.45       1.45         Rear right lameter (mm)       1.80       1.45       1.45       1.45       1.8         Rear right rating 3) (kW)       1.8       1.8       1.5 / 2.4       1.8       Rear right rating 3) (kW)       Rear rating		-			•	
Automatic heat up       PAI sensors         Pans support         ZONE SPECIFICATION       Induction       Induction       Induction         Front left spec 2)       Induction       Induction       Dual Zone       Ceramic Front left rating 3) (kW)       2.3 / 3.7       2.8 / 2.3       0.75 / 2.2       2.3         Front left taine 3) (kW)       2.3 / 3.7       2.8       2.3       0.75 / 2.2       2.3         Front left taine 3) (kW)       1.4 / 2.5       1.8       1.4       1.2       1.2         Front left taine 3) (kW)       1.4 / 2.5       1.8       1.4       1.2       1.2         Front left taine 3) (kW)       1.8       1.4       1.2       1.2       1.4         Rear left spec 2)       Induction       Induction       Ceramic       Ceramic         Rear left spec 2)       Induction       Induction       Dual Zone       Ceramic         Rear right spec 2)       Induction       Induction       Dual Zone       Ceramic         Rear right spec 2)       Induction			4			
Pot sensors Pan support ZONE SPECIFICATION Front left spec 2) Induction Laduction Laduction 2.8 2.3 0.75 / 2.2 2.3 Pront left atting 3) (kW) 2.3 / 3.7 2.8 2.3 0.75 / 2.2 2.3 Pront left atting 3) (kW) 2.10 210 210 210 210 210 210 210 Front right spec 2) Induction Induction Induction Induction Ceramic Ceramic Front right fameter (mm) 1.45 1.45 1.45 1.45 1.45 Rear left spec 2) Induction Induction Induction Induction Ceramic Ceramic Rear left atting 3) (kW) 1.8 1.2 1.4 1.2 1.2 1.2 Rear left attinenter (mm) 1.80 1.45 1.45 1.45 1.45 Rear left attinenter (mm) 1.80 1.45 1.45 1.45 1.45 Rear right spec 2) Induction Induction Dual Zone Ceramic Rear right spec 2) Induction 1.8 1.2 1.4 1.2 1.2 1.4 1.2 1.2 Rear right spec 2) Induction 1.80 1.70 / 265 1.80 Rear right atting 3) (kW) Rear right atting 3) (kW) Front sing 6.2 <b>PELECTICLA CONNECTION</b> <b>ELECTRICLA CONNECTION</b> <b>ELECTRICLA CONNECTION</b> <b>FUE</b> Sing 4.2 <b>APPLIANCE DIMENSIONS</b> <b>Height</b> (mm) <b>5</b> <b>6</b> <b>7</b> <b>6</b> <b>7</b> <b>6</b> <b>8</b> <b>8</b> Width (mm) <b>6</b> <b>6</b> <b>6</b> <b>7</b> <b>8</b> <b>8</b> <b>8</b> <b>8</b> <b>118</b> 108 <b>118</b> 108 <b>119 118</b> 108 <b>119 118</b> 108 <b>119 118 118</b> 108 <b>119 118</b> 108 <b>119 118 1</b>						
Pan support         Induction         Induction         Induction         Induction         Induction         Induction         Induction         Dual Zone         Ceramic           Front left rating 3) (kW)         2.3 / 3.7         2.8         2.3         0.75 / 2.2         2.3           Front left rating 3) (kW)         2.10         212         2         37         145         1		•	•		•	
SPECIFICATION         Induction						
Front left spec 2)       Induction       Induction       Induction       Dual Zone       Ceramic         Front left rating 3) (kW)       23 / 3.7       2.8       2.3       0.75 / 2.2       2.3         Front left atting 3) (kW)       1.4 / 2.5       1.8       1.4       1.2       1.2         Front right rating 3) (kW)       1.4 / 2.5       1.8       1.4       1.2       1.2         Front right materer (mm)       1.45       1.45       1.45       1.45       1.45         Rear left rating 3) (kW)       1.8       1.2       1.4       1.2       1.2         Rear left rating 3) (kW)       1.8       1.2       1.4       1.2       1.2         Rear right rating 3) (kW)       1.8       1.8       1.5 / 2.4       1.8         Rear right rating 3) (kW)       1.8       1.8       1.7 / 2.4       1.8         Rear right rating 3) (kW)       1.8       1.8       1.7 / 2.4       1.8         Rear right rating 3) (kW)       1.8       1.8       1.7 / 2.4       1.8         Rear right rating 3) (kW)       1.8       1.8       1.6 / 2.4       1.8         Rear right rating 3) (kW)       7.4       3       6.9       7       6.4         Froat rating 3) (kW)<						
Front left rating 3) (kW)       2.3 / 3.7       2.8       2.3       0.75 / 2.2       2.3         Front left diameter (mm)       210       280       212       1.4       1.2       1.2       1.4       1.2       1.2       1.2       1.2       1.4       1.2       1.2       1.2       1.2       1.2       1.2       1.4       1.12       1.2       1					D 17	
Front left diameter (mm)       210       280       210       210       210         Front right spec 2)       Induction       Induction       Induction       Induction       Ceramic       Ceramic         Front right ating 3) (kW)       1.4 / 2.5       1.8       1.4       1.2       1.2         Front right diameter (mm)       145       145       145       145       145         Rear left frameter (mm)       180       145       145       145       145         Rear left diameter (mm)       180       145       145       145       145         Rear left diameter (mm)       180       145       145       145       145         Rear right diameter (mm)       180       180       170 / 265       180         Rear right diameter (mm)       180       180       170 / 265       180         Rear ating 3) (kW)       Rear diameter (mm)       180       170 / 265       180         Rear diameter (mm)       74       3       6.9       7       6.4         Front right (above worktop) (mm)       576       590       590       576       590         Depth (mm)       576       590       590       576       590       506       520						
Front right spec 2)         Induction         Induction         Induction         Ceramic         Ceramic           Front right rating 3) (kW)         1.4 / 2.5         1.8         1.4         1.2         1.2           Front right rating 3) (kW)         1.45         145         145         145         145         145         145           Rear left spec 2)         Induction         Induction         Induction         Ceramic         Ceramic           Rear left spec 2)         Induction         Induction         Induction         Ceramic         Ceramic           Rear right spec 2)         Induction         Induction         Induction         Dual Zone         Ceramic           Rear right spec 2)         Induction         Induction         Induction         Dual Zone         Ceramic           Rear spec 2)         1.80         1.45         1.45         1.45         1.45           Rear rating 3) (kW)         1.8         1.8         1.8         1.70 / 265         180           Front spec 2)         Front spec 3)         So 5         So 6 <td>0</td> <td></td> <td></td> <td></td> <td></td> <td></td>	0					
Front right diameter (mm)       1.4 / 2.5       1.8       1.4       1.2       1.2         Front right diameter (mm)       145       145       145       145       145         Rear left spec 2)       Induction       Induction       Ceramic       Ceramic         Rear left rating 3) (kW)       1.8       1.2       1.4       1.2       1.2         Rear left rating 3) (kW)       1.8       1.2       1.4       1.2       1.2         Rear right spec 2)       Induction       Induction       Dual Zone       Ceramic         Rear right diameter (mm)       1.80       180       170 / 265       180         Rear right diameter (mm)       180       180       170 / 265       180         Rear rating 3) (kW)       Rear diameter (mm)       180       170 / 265       180         Rear diameter (mm)       180       180       170 / 265       180         Front rating 3) (kW)       Rear attaing 3) (kW)       Rear attaing 3) (kW)       Rear attaing 3) (kW)       Rear attaing (max) (kW)       74       3       6.9       7       6.4         Fuse rating (A)       KW       74       3       6.9       76       590         Depth (mm)       556       Stoo       550 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
Front right diameter (mm)       145       145       145       145       145         Rear left spec 2)       Induction       Induction       Ceramic       Ceramic         Rear left rating 3) (kW)       1.8       1.2       1.4       1.2       1.2         Rear left diameter (mm)       180       145       145       145       145         Rear right diameter (mm)       1.8       1.8       1.5 / 2.4       1.8         Rear right diameter (mm)       180       180       170 / 265       180         Rear right diameter (mm)       180       180       170 / 265       180         Rear right diameter (mm)       180       180       170 / 265       180         Rear right diameter (mm)       180       180       170 / 265       180         Rear diameter (mm)       180       180       170 / 265       180         Rear diameter (mm)       180       180       170 / 265       180         Front spec 2)       Front rating 3) (kW)       74       3       6.9       7       6.4         Fuse rating (A       APPLIANCE DIMENSIONS       Immediate and						
Each left spec 2)         Induction         Induction         Induction         Induction         Ceramic         Ceramic           Rear left rating 3) (kW)         1.8         1.2         1.4         1.2         1.2           Rear left diameter (mm)         180         145         145         145         145           Rear right spec 2)         Induction         Induction         Dual Zone         Ceramic           Rear right giameter (mm)         180         180         170 / 265         180           Rear rating 3) (kW)         1.8         1.8         1.5 / 2.4         1.8           Rear rating 3) (kW)         1.8         1.8         1.70 / 265         180           Rear rating 3) (kW)         Front spec 2)         Front spec 2)         Front spec 2)         Front spec 2)           Front fameter (mm)         Front spec 2)         Front spec 2)         Front spec 2)         Front spec 2)           Front spec 1)         Total rating (max) (kW)         7.4         3         6.9         7         6.4           Fuse rating (A)         Total rating (max) (kW)         Front spec 2)         506         520         520         506         520           Nidth (mm)         576         590         576         590<						
Rear left rating 3) (kW)       1.8       1.2       1.4       1.2       1.2         Rear left diameter (mm)       180       145       145       145       145         Rear right rating 3) (kW)       1.8       1.8       1.8       1.8       1.5       1.2         Rear right rating 3) (kW)       1.8       1.8       1.8       1.5       1.2       1.8         Rear right diameter (mm)       180       180       170 / 265       180         Rear rating 3) (kW)       Rear rating 3) (kW)       1.8       1.8       1.5       1.8         Front faimeter (mm)       Front rating 3) (kW)       Front rating 3) (kW)       Front rating 3) (kW)       Front rating 3) (kW)       Front rating (max) (kW)       7.4       3       6.9       7       6.4         Fuse rating (max) (kW)       7.4       3       6.9       7       6.4         Fuse rating (max) (kW)       7.4       3       6.9       7       6.4         Fuse rating (max) (kW)       7.4       3       6.9       7       6.4         Fuse rating (max) (kW)       7.4       3       6.9       7       6.4         Fuse rating (max) (kW)       7.4       3       6.9       50       520			145	145	145	145
Rear left diameter (mm)         180         145         145         145         145           Rear right spec 2)         Induction         Induction         Dual Zone         Ceramic           Rear right rating 3) (kW)         1.8         1.8         1.5 / 2.4         1.8           Rear right diameter (mm)         180         180         170 / 265         180           Rear right diameter (mm)         180         180         170 / 265         180           Rear rating 3) (kW)         Rear rating 3) (kW)         Rear rating 3) (kW)         Front spec 2)         Induction	Rear left spec 2)					
Rear right spec 2)         Induction         Induction         Dual Zone         Ceramic           Rear right rating 3) (kW)         1.8         1.8         1.5 / 2.4         1.8           Rear right rating 3) (kW)         180         170 / 265         180           Rear rating 3) (kW)         Rear rating 3) (kW)         Rear rating 3) (kW)         Rear rating 3) (kW)           Rear rating 3) (kW)         Rear rating 3) (kW)         Rear rating 3) (kW)         Rear rating 3) (kW)           Front diameter (mm)         Front frameter (mm)         Front frameter (mm)         Front frameter (mm)           Flue rating (max) (kW)         7.4         3         6.9         7         6.4           Fuse rating (A)         APPLIANCE DIMENSIONS         Image: Comparison of the second sec	8	1.8	1.2	1.4	1.2	1.2
Rear right rating 3) (kW)       1.8       1.8       1.5 / 2.4       1.8         Rear right diameter (mm)       180       170 / 265       180         Rear raing 3) (kW)       Rear diameter (mm)       180       170 / 265       180         Rear raing 3) (kW)       Rear diameter (mm)       rotat rating 3) (kW)       rotat rating 3) (kW)       Front spec 2)       rotat rating (max) (kW)	Rear left diameter (mm)	180	145	145	145	145
Rear right diameter (mm)       180       170 / 265       180         Rear rating 3) (kW)       Rear rating 3) (kW)       Rear rating 3) (kW)         Rear rating 3) (kW)       Front spec 2)       Front rating 3) (kW)         Front spec 2)       Front diameter (mm)       74       3       6.9       7       6.4         Fuse rating (A)       74       3       6.9       7       6.4         Fuse rating (A)       74       3       6.9       7       6.4         Fuse rating (A)       75       590       590       576       590         APPLIANCE DIMENSIONS       55       500       506       520       506       520         Net Weight (Kg)       10.9       10.8       10       7.74       7.9         APERTURE DIMENSIONS 1)	Rear right spec 2)	Induction		Induction	Dual Zone	Ceramic
Rear spec 2)         Rear rating 3) (kW)         Rear diameter (mm)         Front spec 2)         Front trained 3) (kW)         Front trained 3) (kW)         Front diameter (mm)         ELECTRICAL CONNECTION         Total rating (max) (kW)         7.4       3         APPLIANCE DIMENSIONS         Height (above worktop) (mm)         576       590         Sofe       520         Width (mm)       506         Depth (mm)       506         Net Weight (Kg)       10.9         10.9       10.8         10.9       38         Width (mm)       560         560       560       560         Depth (mm)       38         Width (mm)       560       560       560         Depth (mm)       490       490       490       490         PACKAGING DIMENSIONS       Ital       118       108       118       108         Width (mm)       678       678       678       678       678         Depth (mm)       600       600       600       600       600       600         Gorss weight (Kg)       11.5       S </td <td>Rear right rating 3) (kW)</td> <td>1.8</td> <td></td> <td>1.8</td> <td>1.5 / 2.4</td> <td>1.8</td>	Rear right rating 3) (kW)	1.8		1.8	1.5 / 2.4	1.8
Rear rating 3) (kW)         Rear diameter (mm)         Front spec 2)         Front trating 3) (kW)         Front diameter (mm)         ELECTRICAL CONNECTION         ELECTRICAL CONNECTION         Total rating (max) (kW)         7.4       3         APPLIANCE DIMENSIONS         Height (above worktop) (mm)         55         Width (mm)       576         506       520         Net Weight (Kg)       10.9         10.9       10.8         10       7.74         79         APERTURE DIMENSIONS 1)         Height (mm)         560       560       560         10       7.74       79         APERTURE DIMENSIONS 1)	Rear right diameter (mm)	180		180	170 / 265	180
Rear diameter (mm)         Front spec 2)         Front rating 3) (kW)         Front diameter (mm)         ELECTRICAL CONNECTION         Cotal rating (max) (kW)         7.4       3       6.9         APPLIANCE DIMENSIONS         Height (above worktop) (mm)       55         Width (mm)       576       590       590         Depth (mm)       506       520       520       506         Net Weight (Kg)       10.9       10.8       10       7.74       7.9         APERTURE DIMENSIONS 1)       Image: Constraint of the second	Rear spec 2)					
Front spec 2)         Front rating 3) (kW)         Front diameter (mm)         ELECTRICAL CONNECTION         Total rating (max) (kW)       7.4       3       6.9       7       6.4         Fuse rating (A)       APPLIANCE DIMENSIONS	Rear rating 3) (kW)					
Front rating 3) (kW)         Front diameter (mm)         ELECTRICAL CONNECTION         Total rating (max) (kW)         7.4         A PLIANCE DIMENSIONS         From diameter (mm)         APPLIANCE DIMENSIONS         Height (above worktop) (mm)         S5         Width (mm)       576       590       590       576       590         Depth (mm)       506       520       520       506       520         Net Weight (Kg)       10.9       10.8       10       7.74       7.9         APERTURE DIMENSIONS 1)         Height (mm)       38         Width (mm)       560       560       560       560       560         Depth (mm)       38         Width (mm)       560	Rear diameter (mm)					
Front rating 3) (kW)         Front diameter (mm)         ELECTRICAL CONNECTION         Total rating (max) (kW)         7.4         A PLIANCE DIMENSIONS         From diameter (mm)         APPLIANCE DIMENSIONS         Height (above worktop) (mm)         S5         Width (mm)       576       590       590       576       590         Depth (mm)       506       520       520       506       520         Net Weight (Kg)       10.9       10.8       10       7.74       7.9         APERTURE DIMENSIONS 1)         Height (mm)       38         Width (mm)       560       560       560       560       560         Depth (mm)       38         Width (mm)       560	Front spec 2)					
Front diameter (mm)         ELECTRICAL CONNECTION         Total rating (max) (kW)       7.4       3       6.9       7       6.4         Total rating (max) (kW)       7.4       3       6.9       7       6.4         Front diameter (mm)         APPLIANCE DIMENSIONS         Height (above worktop) (mm)       55         Width (mm)       576       590       576       590         Depth (mm)       506       520         Net Weight (Kg)       10.9       10.8       10       7       6.4         Midth (mm)       55       Width (mm)       576       590       576       590       506       520       S06       520       S06       520       S06       520       S06       520       S06       520       S06       560       560       560       560       560       560 <td>•</td> <td></td> <td></td> <td></td> <td></td> <td></td>	•					
ELECTRICAL CONNECTION         74         3         6.9         7         6.4           Total rating (max) (kW)         7.4         3         6.9         7         6.4           Fuse rating (A)         APPLIANCE DIMENSIONS						
Total rating (max) (kW)       7.4       3       6.9       7       6.4         Fuse rating (A)       APPLIANCE DIMENSIONS       Image: Compatability (EMC)       55         Height (above worktop) (mm)       55       590       590       576       590         Width (mm)       576       590       590       576       590         Depth (mm)       506       520       506       520         Net Weight (Kg)       10.9       10.8       10       7.74       7.9         APERTURE DIMENSIONS 1)       Height (mm)       38       Image: Compatibility (Compatibility (C						
Fuse rating (A)         APPLIANCE DIMENSIONS         Height (above worktop) (mm)       55         Width (mm)       576       590       590       576       590         Depth (mm)       506       520       520       506       520         Net Weight (Kg)       10.9       10.8       10       7.74       7.9         APERTURE DIMENSIONS 1)		7.4	3	6.9	7	6.4
APPLIANCE DIMENSIONS         55           Height (above worktop) (mm)         55           Width (mm)         576         590         576         590           Depth (mm)         506         520         520         506         520           Net Weight (Kg)         10.9         10.8         10         7.74         7.9           APERTURE DIMENSIONS 1)	· ·					
Height (above worktop) (mm)       55         Width (mm)       576       590       590       576       590         Depth (mm)       506       520       520       506       520         Net Weight (Kg)       10.9       10.8       10       7.74       7.9         APERTURE DIMENSIONS 1)						
Width (mm)       576       590       576       590         Depth (mm)       506       520       520       506       520         Net Weight (Kg)       10.9       10.8       10       7.74       7.9         APERTURE DIMENSIONS 1)			55			
Depth (mm)         506         520         520         506         520           Net Weight (Kg)         10.9         10.8         10         7.74         7.9           APERTURE DIMENSIONS 1)         38	· ·	576	590	590	576	590
Net Weight (Kg)       10.9       10.8       10       7.74       7.9         APERTURE DIMENSIONS 1)       Image: Comparison of the system of the						
APERTURE DIMENSIONS 1)         38           Height (mm)         38           Width (mm)         560         560         560         560           Depth (mm)         490         490         490         490           PACKAGING DIMENSIONS         III8         108         118         108           Height (mm)         678         678         678         678           Width (mm)         678         678         678         678           Depth (mm)         600         600         600         600           Gross weight (Kg)         11.5         SAFETY AND INTERFERENCE SUPPRESSION         ILTERATURE SUPPLIED         •         •         •	and the second se					
Height (mm)       38         Width (mm)       560       560       560       560         Depth (mm)       490       490       490       490       490         PACKAGING DIMENSIONS       Image: Comparison of the second of the secon		10.0	10.0	10		1.0
Width (mm)         560         560         560         560         560           Depth (mm)         490         490         490         490         490           PACKAGING DIMENSIONS                Height (mm)         118         108         108         118         108           Width (mm)         678         678         678         678         678           Depth (mm)         600         600         600         600         600           Gross weight (Kg)         11.5         5         5         5         5           SAFETY AND INTERFERENCE SUPPRESSION         11.5         5         5         5         5           Low Voltage Directive (LVD)         •         •         •         •         •         •           Electromagnetic Compatability (EMC)         •         •         •         •         •         •           LITERATURE SUPPLIED           •         •         •         •         •			38			
Depth (mm)         490         490         490         490         490         490         490         490         490         490         90         940         940         900         940         9	•	560		560	560	560
PACKAGING DIMENSIONS         Image: constraint of the system of the						
Height (mm)       118       108       108       118       108         Width (mm)       678       678       678       678       678         Depth (mm)       600       600       600       600       600         Gross weight (Kg)       11.5       11.5       11.5       11.5         SAFETY AND INTERFERENCE SUPPRESSION         Low Voltage Directive (LVD)       •       •       •       •         Electromagnetic Compatability (EMC)       •       •       •       •         LITERATURE SUPPLIED       •       •       •       •		100	100	100	100	100
Widh (mm)         678         678         678         678         678         678           Depth (mm)         600		118	108	108	118	108
Depth (mm)         600						
Gross weight (Kg)     11.5       SAFETY AND INTERFERENCE SUPPRESSION     11.5       Low Voltage Directive (LVD)     • • • • • • • • • • • • • • • • • • •						
SAFETY AND INTERFERENCE SUPPRESSION     Image: Comparison of the second se		000		000	000	200
Low Voltage Directive (LVD) • • • • • • • • • • • • • • • • • • •						
Electromagnetic Compatability (EMC)     •     •     •     •       LITERATURE SUPPLIED	Low Voltage Directive (LVD)	•	•	•	•	•
LITERATURE SUPPLIED	Electromagnetic Compatability (EMC)	•		•	•	
	LITERATURE SUPPLIED					
	Operation and installation instructions	•	•	•	•	•

# ZEV6940FBA/XBVZEE6940FXA/FWAZEI3921IBAZGG35214XAZES3921IBAZEE3921IBA44222Front RightFront MiddleFront MiddleFront MiddleFront Middle

Knobs Knobs Knobs Knobs Knobs Knobs

•

Ceramic	Solid Plate				
1.8	1.5				
180	145				
Ceramic	Solid Plate				
1.2	1.5				
145	145				
Ceramic	Solid Plate				
1.2	2				
145	180				
Ceramic	Solid Plate				
1.8	2				
180	180				
		Induction	Rapid	Ceramic	Solid Plate
		1.8	3	1.7	1.5
		180	100	180	180
		Induction	Auxiliary	Ceramic	Solid Plate
		1.4	1	1.2	1
		140	54	145	145
	-				
6	7	3.2	4	2.9	2.5
500	504	200	200	200	200
590	594 510	290	290	290	290
520	510	510	510	510	510
520	510	510	510	510	510
520 7.9	510 7.1	510 5.6	510 9.7	510 3.8	510 5.8
520	510	510	510	510	510
520 7.9 560	510 7.1 560	510 5.6 270	510 9.7 270	510 3.8 270	510 5.8 270
520 7.9 560	510 7.1 560	510 5.6 270	510 9.7 270	510 3.8 270	510 5.8 270
520 7.9 560 490 118 678	510 7.1 560 480 120 680	510 5.6 270 490 120 400	510 9.7 270 490 120 400	510 3.8 270 490 120 400	510 5.8 270 490 120 400
520 7.9 560 490 118	510 7.1 560 480 120	510 5.6 270 490 120	510 9.7 270 490 120	510 3.8 270 490 120	510 5.8 270 490 120
520 7.9 560 490 118 678	510 7.1 560 480 120 680	510 5.6 270 490 120 400	510 9.7 270 490 120 400	510 3.8 270 490 120 400	510 5.8 270 490 120 400
520 7.9 560 490 118 678 600	510 7.1 560 480 120 680 620	510 5.6 270 490 120 400 620	510 9.7 270 490 120 400 620	510 3.8 270 490 120 400 620	510 5.8 270 490 120 400 620
520 7.9 560 490 118 678	510 7.1 560 480 120 680	510 5.6 270 490 120 400	510 9.7 270 490 120 400	510 3.8 270 490 120 400	510 5.8 270 490 120 400
520 7.9 560 490 118 678 600	510 7.1 560 480 120 680 620	510 5.6 270 490 120 400 620	510 9.7 270 490 120 400 620	510 3.8 270 490 120 400 620	510 5.8 270 490 120 400 620
520 7.9 560 490 118 678 600	510 7.1 560 480 120 680 620	510 5.6 270 490 120 400 620	510 9.7 270 490 120 400 620	510 3.8 270 490 120 400 620	510 5.8 270 490 120 400 620

#### Notes

1) Refer to user instructions before cutting out

# COOKING: GAS HOBS

	<u>OXX</u>	÷ F	· • •
	ZG076534BA	ZGG96624XA	ZG063414BA
HOB FEATURES			
Number of cooking zones	5	6	4
Ignition type	Integrated	Integrated	
Control position	Front Middle	Front Middle	Side Right
Control type	Rotary	Rotary	Rotary
Wok burner	•	•	•
Safety Thermocouples	•	•	•
	5	3	4
Cast iron pan supports	5	3	4
Enamel Pan Supports	<b>0</b>	-	<b>0</b>
	Gas on glass	Flat	Gas on glass
ZONE SPECIFICATION			
Front left spec 2)		Rapid	Rapid
Front left rating 3) (kW)	0	3.0	2.9
Front left diameter (mm)	0	100	100
Front right spec 2)	Semi Rapid	Triple	Auxiliary
Front right rating 3) (kW)	1.9	4.0	1
Front right diameter (mm)	70	122	54
Middle rear spec	Semi Rapid	Semi Rapid	
Middle rear rating (kW)	1.9	2.0	
Middle rear diameter (mm)	70	70	
Middle front spec 2)	Auxiliary	Semi Rapid	
Middle front rating 3) (kW)	1.0	2.0	
Middle front diameter (mm)	54	70	
Rear left spec 2)	Triple	Auxiliary	Semi Rapid
Rear left rating 3) (kW)	3.8	1.0	1.9
Rear left diameter (mm)	122	54	70
Rear right spec 2)	Semi Rapid	Auxiliary	Semi Rapid
Rear right rating 3) (kW)	1.9	1.0	1.9
Rear right diameter (mm)	70	54	70
ELECTRICAL CONNECTION	10	54	10
Total rating (max) 3) (kW)	10.5	13	7.7
Fuse rating (A)	10.0	10	1.1
APPLIANCE DIMENSIONS			
Height (above worktop) (mm)			40
Width (mm)	740	894	580
Depth (mm)	510	510	510
and the state of the	16.7	18.6	12.4
Net Weight (Kg) APERTURE DIMENSIONS 1)	10.7	10.0	12.4
Height (mm)			40
Width (mm)	560	830	40 550
Depth (mm)	480	480	470
PACKAGING DIMENSIONS	400	400	470
Height (mm)	160	150	150
Width (mm)	860	960	680
Depth (mm)	630	620	620
Gross weight (Kg)	000	020	13
SAFETY AND INTERFERENCE SUPPRESSION			13
Low Voltage Directive (LVD)	•	•	•
Low voltage Directive (LVD)	•		
Electromagnetic Compatability (EMC)	•	•	•

	:		: :	
ZGG76524XA	ZGG66424XA/BA	ZGG75524XA	ZGG65414XA	ZGG62414XA/WA
4	4	5	4	4
Integrated	Integrated	Integrated	Integrated	Integrated
Front Middle	Front Middle	Front Middle	Front Middle	Right
Rotary	Rotary	Rotary	Rotary	Rotary
•	•	•		
•	•	•	•	•
3	2			
51.1		3	2	2
Flat	Flat	Flat	Flat	Flat
Semi Rapid	Semi Rapid	Semi Rapid Burner	Semi Rapid	Rapid
2.0	2.0	2.0	2.0	3.0
70	70	70	70	100
Auxiliary	Auxiliary	Auxiliary	Auxiliary	Auxiliary
1.0	1.0	1.0	1.0	1.0
54	54	54	54	54
Triple Crown		Triple Crown		
4.0		4		
122		122		
Semi Rapid	Semi Rapid	Semi Rapid	Semi Rapid	Semi Rapid
2.0	2.0 70	2.0	2.0	2.0
70 Danid	Triple Crown	70 Dopid	70 Rapid	70 Somi Donid
Rapid 3.0	4.0	Rapid 3.0	3.0	Semi Rapid 2.0
100	122	100	100	70
100	122	100	100	10
12	9	12	8	8
<b>F</b> A A	504	174.4	504	500
744 510	594 510	744 510	594 510	580 500
14.6	12.1	10.1	8.1	7.2
14.0	12.1	10.1	0.1	1.2
560	560	560	560	550
480	480	480	480	470
170	170	170	170	120
880	680	880	680	680
620	620	620	620	620
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•

Notes

1) Refer to user instructions before cutting out 2) For gas conversion purpose 3.450 btu=1kW

# COOKING: HOBS



ZEE3921IXA / ZES3921IBA / ZGG35214XA / ZEI3921IBA



ZGG76524XA / ZGG75524XA

COOKING



ZGG96624XA





# MAKING THE RIGHT CHOICE

#### **HOOD OPTIONS**

#### What's available?

Hoods either extract or re-circulate air. There are different types depending on your design preference and the available space in your kitchen. We have a range of different sizes and styles, matching powerful performance with stunning good looks.

#### Is a hood easy to maintain?

Very. Some of our hoods have washable filters that you can pop in your dishwasher. Others have saturation filters, which let you know when they need changing.





SLEEK AND MODERN

# HIDDEN OR Built-in

#### **CHIMNEY HOODS**

#### Will it suit any kitchen design?

Besides being functional, hoods are also a key design feature, complementing any kitchen. Take your pick from one of the many different styles within our range, from square to round shapes, with glass curves or a stainless steel finish.

#### Does it provide extra lighting?

Yes, with Clear View. Halogen lights on the hood illuminate the hob so you can clearly see what you're cooking.

#### **INTEGRATED AND TRADITIONAL HOODS**

#### How discrete will it be?

Both types of hood will fit seamlessly into your kitchen. Our integrated hoods sit behind a door when not in use. Simply pull out the hood when you need it and fold it away when you're done, making it the ideal choice where space is tight. Traditional hoods are built neatly under a wall cupboard, with easy-to-reach controls.

#### Is it easy to use?

Yes, you'll find either a simple mechanical slider control or push buttons.

# A GUIDE TO OUR COOKING ICONS

What do the new Zanussi Quadro<sup>™</sup> cooking appliances do and why? Here's your quick guide to our handy functions and features.

# **HOODS FEATURE**



#### **Speed Settings**

With 3 of 4 speeds levels to choose from and even an intensive setting on some models, Zanussi hoods deliver extremely high extraction rates.



Suitable for kitchens up to this size, for optimum performance and clean air control.



Suitable for kitchens up to this size,

for optimum performance and clean air control.



# 12m<sup>2</sup>

Suitable for kitchens up to this size, for optimum performance and clean air control.

#### **Filters**

47dB(A)

ৰ্দ্ধ

Keep the kitchen fresh with Zanussi's easy to use filters. The majority of cooker hoods come with metal grease filters that can be washed in the dishwasher.

#### Low Noise Level

Zanussi hoods operate at a low noise level, which means that your kitchen is a fresh, quiet place to cook.

#### Recirculation

The hood draws in odours hanging in the air and the re-circulates the clean air back into the kitchen. Charcoal filters are available as an optional accessory for those that do not.

#### Ducted

A more efficient mode of extraction, the hood is located near to an external wall and requires a ducting kit to extract odours outside. Ducting kits are available as an option accessory.



# COOKING: HOODS

# **ZHC66540XA**



Eye catching designer hood with glass canopy which will look stunning in any modern kitchen.

#### Specifications

- Stylish designer hood
- Variable 3 speed control plus intensive setting
- Push button controls
- 2 x halogen lights for bright illumination of the cooking area
- 1 washable metal grease filter
- 67dB(A) noise level
- Charcoal filter optional extra (EFF72)

**Dimension Options** ZHC66540XA - 60cm





# ZHC9234X < 100 > < 100 > 51.5 < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 > < 100 >

The sleek design of this hood will give your kitchen an extra stylish look.

#### Specifications

- Stylish curved glass design
- Variable 3 speed control
- Push button controls
- 2 x halogen lights for bright illumination of the cooking area
- 1 washable metal grease filter
- 65.5dB(A) noise level
- Charcoal filter optional extra (type 15)

#### **Dimension Options**

ZHC6234X - 60cm ZHC9234X - 90cm



# **ZHC9244X** ⟨90⟩ < 60⟩ 375 Ⅰ 新 新 </p>

The sleek design of this hood will give you an extra stylish look.

#### **Specifications**

- Stylish designer stainless steel hood
- Variable 3 speed control
- Push button controls
- 2 x halogen lights for bright illumination of the cooking area
- 1 washable metal grease filter
- 68dB(A) noise level
- Charcoal filter optional extra (type 15)

#### **Dimension Options**

ZHC9244X - 90cm ZHC6244X - 60cm



COOKING

# **ZHC6239X**



The sleek design of this hood will give you an extra stylish look.

#### **Specifications**

- Variable 3 speed controls
- Push button controls
- 2 x halogen lights for bright illumination of the cooking area
- 1 washable metal grease filter
- 61dB(A) noise level
- Charcoal filter optional extra (EFF72)

#### **Dimension Options** ZHC6239X - 60cm

#### **EFC9015X**



The effortless and clean design of this chimney cooker hood will complement your other kitchen appliances.

#### **Specifications**

- Variable 3 speed control
- Slider controls
- 1 x halogen light for good visibility
- 3 washable aluminium metal grease filters
- 67dB(A) noise level
  - Charcoal filter option (EFF75)

#### **Colour and Dimension Options**

EFC60151X - Stainless Steel EFC60151W - White EFC60151K - Black EFC90151X - Stainless Steel EFC90151K - Black

69


## ZHI611G <∞> <sup>2,1</sup>Ω <sub>2</sub>,... ≶

This cooker hood seamlessly integrates under your kitchen cabinets and leaves your kitchen open and clean.

Push button controls make it easy to adjust the extraction rate of this cooker hood.

#### Specifications

- Variable 3 speed control
- Slider control
- 2 hob lights for good visibility
- Synthetic grease filter with saturation indicator
- Charcoal filter optional extra (EFF62)

Colour Options ZHI611G - Grey



#### ZHT610 < tex > 200 ポントr 21m, 例 异

EFB60X

This cooker hood combines a traditional hood design with a choice of colours, from stainless steel to black and white.

#### **Specifications**

- Variable 3 speed control
- Slider controls
- 2 x halogen lights for bright illumination of the cooking area
- Synthetic grease filter with saturation indicator
- Charcoal filter optional extra (EFF57)

#### **Colour Options**

ZHT610X - Stainless steel ZHT610W - White ZHT610K - Black Stylish stainless steel splashbacks.

#### **Specifications**

- Complements our range of stainless steel ovens, hobs and hoods
- Easy to wipe clean

#### **Colour and Dimensions Options**

EFB60X - 60cm x 70cm EFB90X - 90cm x 70cm EFB675X - 60cm x 75cm EFB975X - 90cm x 75cm EFB175X - 100cm x 75cm

## COOKING: HOODS

	ZHC66540XA	ZHC9234X	ZHC6234X	ZHC9244X
SPECIFICATION				
Fan speeds	3	3	3	3
Control type	Push buttons	Push buttons	Push buttons	Push buttons
Hob illumination (H=halogen) (Watts)	2x20	2x20	2x20	2x20
Extraction/recirculation operation	•	•	•	•
Grease filters	•	•	•	•
INSTALLATION HEIGHT FROM				
Electric hob (mm)		500	500	500
Gas hob (mm)		650	650	650
DIMENSIONS				
Extraction maximum ca.m <sup>3</sup> /h	520	515	515	375
Recirculation maximum ca.m <sup>3</sup> /h	300	325	325	225
Recirculation intensive ca.m <sup>3</sup> /h	320			
Noise (max. setting) extraction dB(A)	67	65.5	65.5	61
Recirculation noise (max. setting) dB(A)	62	71.0	71.0	68
ADDITIONAL EQUIPMENT REQUIRED				
For ducting: Ventilation hose and wall box				
Ventilation hose: diameter (mm)		150	150	150
For recirculation: (optional accessory) charcoal filter	EFF72	type15	type15	type15
ELECTRICAL CONNECTION				
Connected load (Watts)				
Fuse rating (A)	13	13	13	13
APPLIANCE DIMENSIONS				
Height for extraction (mm)	769 - 1044	672 - 1130	672 - 1130	622 - 1152
Height for recirculation (mm)	769 - 1044	672 - 1130	672 - 1130	699 - 1152
Width (mm)	598	900	600	898
Depth (mm)	485	450	450	450
Net weight (kg)	15.0	15.8	14.0	13.8
PACKAGING DIMENSIONS				
Height (mm)	570	570	570	570
Width (mm)	680	980	686	980
Depth (mm)	515	515	515	515
Gross weight (kg)	22.0	22.3	20.0	18.7
SAFETY & INTERFERENCE SUPPRESSION				
Low Voltage Directive (LVD)	•	•	•	•
Electromagnetic Compatibility (EMC)	•	•	•	•
LITERATURE SUPPLIED				
Operation and installation instructions	•	•	•	•

Operation and installation instructions

-	-		in an a	
ZHC6244X	ZHC6239X	EFC60151X/EFC90151	ZHI611G	ZHT610
3	3	3	3	3
Push buttons	Push buttons	Slider	Slider	Slider
2x20	2x40	2x40	2x40	2x40
•	•	•	•	•
•	•	•	•	•
500	500	650	650	650
650	650	650	650	650
375	395	430	210	200
225	290	270	180	165
61	61	61	62	61
68	60	60	61	60
00	00	00	01	00
		•		
150	150	150	100	100
type15	EFF72	EFF75	EFF62	EFF57
		230		
13	13	13	13	13
622 - 1152	628 - 893	670 - 925	350	129
699 - 1152	673 - 893			
598	598	598	598	598
450	470	502	270	450
11.9	17.86	8.4	10.5	6.2
570	405	645	410	510
980	775	680	700	645
515	645	410	330	180
15.8	18.6	10.28	11.9	7.2
•	•		•	•
•	•	•	•	•

100

.

.

#### Notes

 For installation aperture dimensions see installation instructions
 CDK5F120mm (5\*) diameter flexible ducting kit,

 metre length.
 For use with all hoods up to 1 metre ducting.

 CDK5FR

120mm (5\*) diameter flexible ducting kits for ducting of hoods situated away from exterior wall, up to 3 metres. CDK6FR

150mm (6\*) diameter ducting kits for ducting of hoods situated away from exterior wall, up to 3 metres.

3)120cm outlet adaptor included

ZHC66540XA







ZHC6234X





ZHI611G

ZHT610



EFB60X/EFB90/EFB675/EFB975/EFB175



ZHC9244X





ZHC6239X



EFC90151X/W/K





#### **ZCM1031X**



When the flame goes out, the gas shuts off automatically, so there's no need to worry.

Make cooking a more enjoyable part of your life with a multifunction oven, combining the benefits of a fan and conventional oven with additional functions like pizza and thermal grilling.

#### Specifications

- Thermaflow<sup>®</sup> fan cooking system for an even temperature
- Come home to a tasty casserole or slow roast with the convenience of slow cooking
- 2 rapid burners, 2 semi-rapid burners,
  1 triple crown wok burner
- Cast iron pan supports
- Fully programmable main oven timer
- Clear 'n' clean enamel liners
- Air cooled triple glazed doors

#### Second Oven Functions

 4 second oven functions, including conventional cooking and grilling

#### **Main Oven Functions**

 7 multifunction main oven, including pizza oven and thermal grilling

#### **Colour Options**

ZCM1031X - Stainless Steel

	ZCM1031X
OVEN FUNCTIONS	LEFT/RIGHT
Thermaflow <sup>®</sup> fan operated	•/
Thermal grilling	•/
Pizza setting	•/
Conventional cooking	•/•
Full grill	•/•
Top heat	•/•
Bottom heat	/•
Slow Cooking	•/
OVEN FEATURES	
Control Type	Rotary
Fully programmable electronic clock	•
Oven doors	Triple
Clear 'n' Clean Enamel	•
HOB FEATURES	
Number of cooking zones	5
gnition Type	Integrated
Cast Iron Pan Supports	•
Front Left Spec 1)	Rapid
Front Left Rating 2) (kW)	3
Front Left Diameter (mm)	100
Rear Left Spec 1)	Semi-Rapid
Rear Left Rating 2) (kW)	1.75
Rear Left Diameter (mm)	75
Front Right Spec 1)	Semi-Rapid
Front Right rating 2) (kW)	1.75
Front Right Diameter (mm)	75
Rear Right Spec 1)	Rapid
Rear Right Rating 2 ) (kW)	3
Rear Right Diameter (mm)	100
Viddle Spec 1)	Triple Crown
Middle Rating 2) (kW)	3,3
Middle Front Diameter (mm)	130
Energy class	B/B
Energy efficiency class in mode	Static/Static
Energy consumption static (kW/h)	0.93/0.78
Energy consumption fan (kW/h)	0.99/NA
Chrome grid runners	•
Chrome auto-stop non-tip shelves	•
Grill/meat pan ELECTRICAL CONNECTION	
	230/240
Voltage Frequency	50
Dven power (max) (kW)	2.1/1.7
Grill power (max) (kW)	1.7/1.7
Euse rating	20
APPLIANCE DIMENSIONS	
Height (mm)	910 max
Width (mm)	1000
Depth (mm)	600
Net Weight (kg)	95
NTERNAL DIMENSIONS (LEFT/RIGHT)	
/olume (usage) (litres)	52/31
	330/330
Height (mm)	330/330 370/220
Height (mm) Width (mm)	370/220
Height (mm) Width (mm) Depth (mm)	
Height (mm) Midth (mm) Depth (mm) PACKAGING DIMENSIONS	370/220 427/427
Height (mm) Width (mm) Depth (mm) PACKAGING DIMENSIONS Height (mm)	370/220 427/427 1145
Height (mm) Width (mm)	370/220 427/427

#### Wok burner

Ideal for stir-fries, our wok burner provides maximum heat to ensure all your wok cooking is effortlessly prepared.



## EASY COOLING

Now, accommodating a full weekly shop is no problem. Our energy-efficient appliances are also cheaper to run and kinder to the environment.

Fridge-freezers	85
In-Column Fridges and Freezers	89
Under Counter Fridge and Freezers	93
How they compare	95

## REFRIGERATION MADE EASY.



## FOR ANY SIZE OF SPACE

#### **CHOOSING THE RIGHT APPLIANCE**

#### What's best where space is limited?

Under-counter appliances sit neatly beneath a worktop, maintaining the plinth line. With front ventilation, there's no need for unsightly vents to be fitted to the worktop. Just add a furniture door.

#### What are the options for a large kitchen?

Our in-column refrigeration appliances can be installed in a tall housing unit, giving you the flexibility of having a separate fridge, freezer or combined fridge-freezer. We have a solution to fit all available spaces.

#### Door on Door hinge explained

The benefits of this type of hinge are that you can add more weight to the door and open it at a larger angle, making access and use easier.

#### Sliding hinge explained

The hinged furniture door is attached to the appliance with a number of brackets. As the furniture door opens, the appliance door is opened via the sliding bracket arrangement.



## MORE FRESH FOOD

## TOTAL Convenience

#### **FRIDGE-FREEZERS**

#### Will it hold a week's shopping?

Yes, our Space+ fridge-freezers have an extra-large capacity and will even accommodate family packs.

#### Will food last longer?

Some models in our fridge-freezer range have Crisp No Frost technology. This ensures that humidity levels are maintained in the fridge whilst the temperature is kept at a low stable rate, resulting in food being preserved properly, staying fresh for as long as possible.

#### **FREEZERS**

#### Can food be frozen for a long period?

Yes, up to 12 months. All of our freezers have a 4-star freezer rating.

#### Can food be frozen quickly?

Check out our selected freezers models with the quick-freeze button. Press it to lower the temperature instantly, rapidly freezing newly added food for maximum freshness. The temperature returns to pre-set levels automatically.

## Is there a way to avoid defrosting the freezer?

Yes, you'll never have to do this chore again with one of our frost-free models, which prevents ice build up.

#### Can it help organise food storage?

With transparent freezer drawers, you'll find what you need or where to put it with ease.



Our new Quadro<sup>™</sup> cooling appliances have an outstanding A+ energy rating.

# A GUIDE TO OUR COOLING ICONS

What do the Zanussi cooling appliances do and why? Here's your quick guide to our handy functions, safety features and energy ratings.



#### **Quick Freeze**

For fresher, safer food storage switch on the quick freeze function before you go to the supermarket, it lowers the freezer temperature, protects the contents and quickly freezes food. The freezer will automatically return to the preset temperature.



#### **Quick Chill**

For fresher, safer food storage switch on the quick chill function before you go to the supermarket, it lowers the fridge temperature to quickly and safely cool your fresh food.



## Width of appliance.



Height Height of the appliance.

## 91 itr

Capacity Litre capacity of the appliance.

#### Low Frost

Our low frost technology means that it is easier and quicker to defrost, and you may only have to defrost every 2 years.

#### LED LED

Have clear visibility of your fridge contents with the ultra energy efficient and bright LED lighting.

#### No Frost

NO Save time and make all those defrosting chores a thing of the past with a frost free freezer which defrosts itself.

#### WHAT TO LOOK OUT FOR... Fast. Clever Zanussi features $\rightarrow$ to get things cooler, quicker. Handy. The things you couldn't **(** ( ) live without



Smart. Practical solutions from great Zanussi thinking.



#### **Electronic Controls**

Many of our models offer precise temperature control and functions such as Quick Freeze or Quick Chill function through simple internal or external electronic controls.

#### AirFlow+ Fan

Say goodbye to hotspots as the internal AirFlow+ fridge fan ensures even temperatures throughout the fridge.



#### Energy **A**++

All Zanussi models are either A+ or A++ energy rated, making them cheaper to run and kinder to the environment.

## Q Q

**TwinTech<sup>™</sup> NoFrost** TwinTech NoFrost technology ensures that food stays cold and doesn't dry

out, resulting in it staying fresher for

#### 4 Star Freezing \*\*\*\*

longer.

All of Zanussi's static and frost free freezers have a 4 star rating. This enables you to store and freeze food for up to 12 months.

#### Space+

Standard dimensions outside, but extra space inside. With Space+ you can store more food, so you can shop less and save time.

### COOLING: FRIDGE FREEZERS

#### **ZBB27650SA**



With a frost free freezer there is no need to defrost - saving you a chore!

This model gives a good balance of fresh food and frozen food storage as it is equally split between fridge and freezer.

#### Specifications

- Touch control electronics provide instant temperature response
- Ensure your food stays fresher for longer with the Quick Chill function
- Quick freeze function with auto switch off
- This model is only A+ energy rated, using less energy, saving you money
- Auto fridge defrost
- View contents at a glance with the bright LED lighting
- 4 full width glass shelves, of which 3 are adjustable
- 2 large salad crispers with glass cover
- 4 full width, transparent freezer drawers
- Covered dairy compartment
- 2 full width door shelves
- 4 star freezer can store frozen food for up to 12 months and freeze down fresh food
- Removable egg tray
- Hinge type: sliding door
- Reversible door hinge







## ZBB28650SA



With a frost free freezer there is no need to defrost - saving you a chore! This A+ energy rated fridge freezer uses less energy, saving you money.

#### Specifications

- Easy to understand electronic display
- Transparent freezer drawers
- Quick freeze function
- Large capacity food storage space
- Automatic defrost in fridge
- 2 half width salad drawers
- 3 freezer drawers
- Fast freeze function with auto switch-off
- 1 full width covered dairy compartment
- 3 full width door shelves
- 4 full depth glass shelves
- Removable egg tray
- Hinge type: Sliding door
- Reversible door hinge







#### More benefits of frost free

As well as saving you the chore of having to defrost the freezer, you also get the benefit of no loss of storage space, no deterioration of energy consumption due to ice build up and food is preserved individually together so things don't stick together.

### COOLING: FRIDGE FREEZERS

#### **ZBB28441SA**



With new LowFrost technology there is less ice build up in the freezer - so you don't need to defrost as often!

This energy efficient fridgefreezer is A+ energy rated, using less energy, saving you money.

#### Specifications

- Easy to use controls
- Easy clean shelves
- Large capacity food storage
- Automatic defrost in fridge
- 2 half width salad drawers
- 3 freezer drawers
- 5 full width glass shelves, of which 4 are adjustable
- 1 full width covered dairy compartment
- 3 full width door shelves
- 3 large transparent freezer drawers
- 4 star freezer can store frozen food for up to 12 months and freeze down fresh food
- Removable egg tray
- Hinge type: Sliding hinge
- Reversible door









**ZBB28440SA** 



This model gives a good balance of fresh food and frozen food storage as it is equally split between fridge and freezer.

#### Specifications

- Easy to use controls
- Easy clean glass shelves
- Transparent freezer drawers
- Automatic defrost in fridge
- 2 half width salad drawers
- 2 height adjustable glass shelves
- 1 full width covered dairy compartment
- 3 full width door shelves
- 4 freezer drawers
- Removable egg tray
- Hinge type: Sliding door
- Reversible door hinge





## **ZBB24430SA**



At 145cm tall this integrated fridge freezer is ideal for small kitchens or where space is at a premium. This extra-efficient A+ fridge-freezer uses less energy, saving you money.

#### Specifications

- Automatic defrost in fridge
- 2 half width salad drawers
- 2 height adjustable glass shelves
- 2 large transparent freezer drawers
- 1 full width covered dairy compartment
- 3 full width door shelves
- Removable egg tray
- Hinge type: Sliding door
- source und

#### COOLING: IN COLUMN FRIDGES AND FREEZERS

## **ZBA32050SA**



This large capacity fridge is ideal for large and busy families who need lots of fresh food at their fingertips.

Ensure your food stays fresher for longer with the Quick Chill function.

#### Specifications

- Large capacity fresh food storage space
- Electronic controls allow you to set the temperature at your desired temperature
- Auto fridge defrost
- View contents at a glance with the bright LED lighting
- 1 extra large telescopic salad drawer
- 1 full width covered dairy compartment
- 4 full width door shelves
- 6 full width glass shelves, of which 5 are adjustable
- 323ltr gross capacity
- Removable egg tray
- Hinge type: Sliding door
- Can be integrated in column with ZBF22451SA





## ZBF22451SA A+ 1000 220 Hr A OUICK > QUICK >

This large capacity freezer is the perfect storage solution for busy families who buy and freeze in large quantities.

Save yourself a chore, this freezer defrosts itself.

#### **Specifications**

- Large capacity frozen food storage space
- Touch control electronics provide instant temperature response
- 7 freezer compartments, including 5 full width drawers and 2 with fold down openings
- High temperature alarm
- Quick freeze function with auto swicth off
- Door open alarm
- A+ energy
- Reversible door
- Freezing capacity: 20kg/24hrs
- Hinge type: Sliding door
- Can be integrated in column with ZBA32050SA





COOLING

#### COOLING: IN-COLUMN FRIDGES AND FREEZERS

#### **ZBA22420SA**



The 4 star freezer in this fridge lets you freeze your food without a separate freezer, and at only 122cm tall it's ideal for small kitchens.

#### Specifications

- Auto fridge defrost
- A+ energy rating
- Large capacity fresh food storage space
- 17 litre 4 star freezer compartment
- 1 large salad drawer
- 4 full width drawer shelves
- 1 full width covered dairy compartment
- 3 full width glass shelves
- 198 litre gross fridge capacity
- Removable egg tray
- Hinge type: sliding drawer





## **ZBA15021SA**



This fridge has an A+ class energy rating, saving you money.

#### Specifications

- Auto fridge defrost
- Large capacity fresh food storage space
- 1 extra large salad drawer
- 1 full width covered dairy compartment
- 2 full width door shelves
- 3 full width glass shelves for flexible storage
- 147 litre gross fridge capacity
- Removable egg tray
- Hinge type: Sliding door

Can be integrated in column with ZBF11420SA freezer





For installation diagrams see page 97

For installation diagrams see page 97



#### **ZBF11420SA**



Always find what you are looking for with our removable transparent freezer baskets, easier for loading and unloading.

This freezer has an A+ class energy rating, saving you money.

#### Specifications

- Large capacity frozen food storage space
- 3 large capacity freezer drawers
- 1 freezer compartment with flap opening
- High temperature alarm
- Quick freeze function with automatic reset
- Thermostat control knob
- Reversible door
- Freezing capacity: 16kg/24hrs
- Hinge type: Sliding door

Can be integrated in column with ZBA15020SA larder fridge



Ideal for compact kitchens, fridges with 4 star iceboxes are the ideal solution as you have space for your fresh food, combined with freezer space.

A 4 star ice box allows you to store frozen food for up to 12 months and safely freeze food.

### **COOLING: UNDER COUNTER FRIDGES AND FREEZERS**





**ZOA14030DA** 

82 6M

you money.

**Specifications** 

- Auto fridge defrost

- Removable egg tray

- Reversible door

Matching freezer:

ZQA14030DA

140 itr

This fridge has an A+ class energy rating, saving

- Large capacity fresh food storage space

- 3 full width glass shelves for flexible storage

- 1 extra large recessed salad drawer - 1 full width covered dairy compartment

- 140 litre gross fridge capacity

- Hinge type: Fixed door on door





The 4 star freezer compartment in this fridge lets you freeze your food without a separate freezer. This fridge has an A+ class energy rating, saving you money.

The controls are so easy to understand, it's almost intuitive.

#### **Specifications**

- Auto fridge defrost
- 17 litre 4 star freezer compartment
- Large capacity fresh food storage space
- 1 full width and 1 half width door shelves
- 1 extra large recessed salad drawer
- 1 full width covered dairy compartment
- 2 height adjustable glass shelves
- 105 litre gross fridge capacity
- Removable egg tray
- Hinge type: Fixed door on door
- Reversible door



For installation diagrams see page 97

## **ZOA14030DA** $|\mathbf{A}^+\rangle$

108 ltr 💥 🔶 82 ™

For fresher, safer food storage switch on Zanussi's fast freeze function before you go to the supermarket, it lowers the freezer temperature, protects the contents and quickly freezes fresh food.

This freezer has an A+ class energy rating, saving you money.

#### **Specifications**

- 3 large freezer drawers plus unique recessed drawer
- Quick freeze function with automatic reset
- Thermostat control knob
- External controls
- Reversible door
- Freezing capacity: 18kg/24hrs
- Hinge type: Fixed door on door



For installation diagrams see page 97



- Door open warning alarm

- Matching fridge:
- ZQA14030DA



For installation diagrams see page 97

4 star freezing

food for up to 12 months.

All of Zanussi's static and frost free freezers have a 4 star freezer rating. This enables you to store and freeze

94

## COOLING: FRIDGE FREEZERS

	No-Frost 50:50 fridge freezer	Frost Free 70:30 fridge freezer	Low Frost 70:30 fridge freezer	50:50 fridge freezer	70:30 fridge freezer
		The sea	「花園」		
	ZBB27650SA	ZBB28650SA	ZBB28441SA	ZBB28440SA	ZBB24430SA
FRIDGE FEATURES	auto	auto	auto	auto	auto
Electronic controls	Touch control	•	auto	auto	auto
Quick chill	In LCD display				
Mechanical temperature controls		•	•	•	
Adjustable thermostat coin/ knob Dairy compartment	•	Knob	Knob	Knob •	Knob
Full width door shelves	2	4	3	3	3
Air circulation fan	_		-	-	-
Glass shelves (full depth)	3	4	4	2	2
Glass shelves (half depth) Flexible shelf positions		•		•	•
2 half width salad bins with full width glass	•	•	•	•	•
cover Interior light	LED lighting				
Interior light Egg tray	•	•	•	•	•
FREEZER FEATURES					
Defrost - freezer	auto	auto	Low frost	manual	manual
Electronic temperature controls	• In LCD diaplay	•			
On LED (Green) Quick Freeze Function with timed auto	In LCD display	•			
switch off Fast freeze LED (Yellow)	In LCD display	•			
High temperature warning LED (Red)	In LCD display	•			
High temperature warning audible buzzer	•				
Freezer compartments (flap/ drawers)	0/4	0/3	0/3	0/4	0/2
Transparent freezer compartments	•	•	•	•	•
Freezer calendar Ice cube tray	•	•	•	•	•
Ice scraper	-	•	•	•	•
OTHER FEATURES					
Reversible Doors	•	•	•	•	•
100% CFC free 100% HFC free	•	•	•	•	•
Fridge freezer split	50.50	70.30	70.30	50.50	70.30
Gross capacity fridge litres (cu.ft)	161 (5.7)	214 (7.6)	205 (7.2)	173 (6.1)	173 (6.1)
Net capacity fridge litres (cu.ft)	158 (5.6)	210 (7.4)	202 (7.1)	170 (6.0)	170 (6.0)
Gross capacity freezer litres (cu.ft)	108 (3.8)	68 (2.4)	75 (2.6)	110 (3.9)	62 (2.2)
Net capacity freezer litres (cu.ft) Frozen food rating	88 (3.1) 4 star	55 (1.9) 4 star	75 (2.6) 4 star	92 (3.3) 4 star	60 (2.1) 4 star
PERFORMANCE	4 Stai	4 Star	4 Stai	4 5101	4 Stai
Annual energy consumption (kWh) 2)	307	309	297	298	249
Energy efficiency class 1)	A+	A+	A+	A+	A+
Energy efficiency index (%) Climate class 4)	41.9 SN-T	43.8 SN-ST	41.86 SN-T	43.8 SN-ST	43.8 SN
Noise (dB (A))	38	40	36	36	34
Freezing capacity (kg/24hr)	10	4	4	10	4
Power cut safe rising time (hr) 3)	25	21	22	24	20
Minimum ambient temperature (°C)	10	10	10	10	10
ELECTRICAL CONNECTION Connected load Watts	160	150	200	140	150
Fuse rating A	13	13	13	13	13
PRODUCT DIMENSIONS					
Height x Width x Depth (mm)	1772 x 540 x 547	1772 x 540 x 547	1772 x 540 x 547	1772 x 540 x 547	1441 x 540 x 549
Net Weight (kg)	59.5	57.5	57.0	57.5	48.0
BUILT-IN DIMENSIONS					1446 x 560
Height x Width x Depth (mm)		1780 x 560 x 550	1780 x 560 x 550		x 550
Door Fixing	Slider	Slider	Slider	Slider	Slider
PACKAGING INFORMATION					1530 x 610
Height x Width x Depth (mm)		1860 x 610 x 620			x 620
Gross Weight Kg LITERATURE SUPPLIED	61.5	62.0	59.0	62.0	52.0
Operation and instruction manuals	•	•	•	•	•

	In-column larder fridge	ln-column Freezer	In-column fridge with 4 star freezer	ln-column larder fridge	in-column freezer	Under counter fridge with 4 star freezer	Under counter larder fridge	Under counter freezer
	ZBA32050SA	ZBF22451SA	ZBA22420SA	ZBA15021SA	ZBF11420SA	ZQA12430DA	ZQA14030DA	ZOF11430DA
FRIDGE FEATURES								
Defrost	auto		auto	auto		auto	auto	
Adjustable thermostat coin/ knob Quick chill	Electronic		Knob	Knob		Knob	Knob	
Dairy compartment	•		•	•		•	•	
Full width door shelves	4		4	3		2	2	
Glass shelves (full depth)	6		3	4		1	2	
Flexible shelf positions	•		•	•		•	•	
Full width transparent salad bin	•		•	•		•	•	
Interior light Egg tray	LED		•	•		•	•	
FREEZER FEATURES								
Defrost - freezer		Frost Free	manual		manual	manual		manual
Electronic temperature controls		Touch control			•			•
Adjustable thermostat coin/knob					Knob			Knob
On LED (Green) Quick Freeze Function with timed		•			•			•
auto switch off		•			•			•
Fast freeze LED (Yellow)		•			•			•
High temperature warning LED (Red) High temperature warning audible buzzer		•			•			•
Door open warning audible buzzer		•						•
Freezer compartments (flap/drawers)		2/5	1/0		1/3	1/0		0/4
Transparent freezer compartments Freezer calendar		•			•			•
Ice scraper		•			•			•
OTHER FEATURES								
Adjustable feet Reversible Doors						•	•	•
100% CFC free	•	•	•	•	•	•	•	•
100% HFC free	•	•	•	•	•	•	•	•
Matching fridge/freezer	ZBF22451SA	ZBA32050SA		ZBF11420SA	ZBA15020SA		ZQF11430DA	ZQA14030DA
Gross capacity fridge litres (cu.ft)	323 (11.4)		198 (7.0)	147 (5.2)		105 (3.7)	140 (5.0)	
Net capacity fridge litres (cu.ft)	319 (11.3)	000 (70)	193 (6.8)	146 (5.1)	110(20)	100 (3.6)	136 (4.8)	100 (20)
Gross capacity freezer litres (cu.ft) Net capacity freezer litres (cu.ft)		220 (7.8) 210 (7.4)	17 (0.6) 17 (0.6)		110 (3.9) 94 (3.3)	17 (0.6) 17 (0.6)		108 (3.8) 98 (3.5)
Frozen food rating		4 star	4 star		4 star	4 star		4 star
PERFORMANCE								
Annual energy consumption (kWh) 2)	143	308	236	123	110	184	124	198
Energy efficiency class	A+	A+	A+	A+	A+	A+	A+	A+
Energy efficiency index (%)	41.68	41.9	43.8	41.8 SN T	43.9	43.8	43.8	43.8
Climate class Noise (dB (A))	SN-ST 33	SN-T 39	SN-ST 36	SN-T 38	SN-T 36	SN-ST 40	SN-ST 36	SN-ST 38
Freezing capacity (kg/24hr)	00	20	2	N/A	16	2.5	N/A	18
Power cut safe rising time (hr)		24	12	N/A	20	13	N/A	29
Minimum ambient temperature (°C)	10	10	10	10	10	10	10	10
ELECTRICAL CONNECTION								
Connected load Watts	120	150	160	80	100	110	120	130
Fuse rating A PRODUCT DIMENSIONS	13	13	13	13	13	13	13	13
	1772 x 547	1772 x 547	1218 x 540 x 549	873 x 540	873 x 540	815/868 x 596 x 550	815/868 x 596	815/868 x 596
Height x Width x Depth (mm)								
Net Weight Kg BUILT-IN DIMENSIONS	59.5	60.0	43.0	31.0	33.5	37.0	34.0	38.0
Height x Width x Depth (mm)	1780 x	1780 x	1225x 560		$880 \times 560$	820/870×600	820/870×600	820/870×60
	560 x 550		x 550 Slider	x 550 Slider	x 550 Slider	x550 Door on	x550 Door on	x550 Door on
Door Fixing	Slider	Slider	Slider	Slider	Slider	door	door	door
PACKAGING INFORMATION	1840 x	1840 x	1300 x	925 x 586	960×600	880×640	880×640	880×640
Height x Width x Depth (mm)	590 x 600	590 x 600	590 x 600	x 630	x 620	x 620	x 620	x 620
						200		200
Gross Weight (kg) LITERATURE SUPPLIED	61.5	62.0	44.5	32.0	62.0	38.0	35.0	39.0

Operation and instruction manuals

Inergy efficiency class based on a scale of A+ (most efficient) to G (least efficient)
 Based on standard test results for 24 hours in accordance with EN153. Actual consumption will depend on how the appliance is used and where it is located
 Time for food temperature to rise from -18°C to -9°C with the power off and the door remaining closed
 Climate class - the product is suitable for use in ambient temperatures of SN: 10-32°C, N:16-32°C, ST: 18-38°C, T: 18-43°C

## COOLING: FRIDGE FREEZERS









ZBA32050SA / ZBF22451SA

ZBB28440SA

ZBA22420SA

∆mi

 $\overline{\mathfrak{O}}$ 





ZQA12430DA / ZQA14030DA / ZQF11430DA



ZBA15021SA / ZBF11420SA

Ø

\$\_\_\_\_\_







## **EASY CLEANING**

All our dishwashers have low water consumption, quiet noise levels and are either 'A+' or 'A' rated for energy efficiency. Available in a range of sizes to fit every space.

Full Size Dishwashers	105
Slim Dishwashers	108
Compact Dishwashers	110
How they compare	111

## DISHWASHERS MADE EASY.



## PICKING THE RIGHT SOLUTION

#### FOR EVERY NEED

#### Can a dishwasher be concealed?

Yes, with our fully-integrated models. Just pull down the full-height furniture door to reveal the controls along the top edge.

## Is it possible to always see the dishwasher controls?

With our semi-integrated models, the control panel is visible, and the design aligns with our oven's control panel.

#### What is fully integrated?

The dishwasher is hidden behind a full height furniture door and operated by controls on the top edge of the dishwasher door.

#### What is semi integrated?

The dishwasher has a visible control panel, which matches in height to the control panel of the oven and drawer line furniture. A short furniture door is fixed below the control panel.

What's best where space is limited? Our slim-size dishwasher is just 45cm wide, fitting into the tightest of spaces.



## SAVING TIME Reducing Bills

#### **CONVENIENT AND EFFICIENT**

#### Is there a quick programme?

Yes, our 30-minute wash cycle at 65°C will take care of used crockery after an evening meal for a family of four.

**Is there an option to delay the wash?** Yes, with 'Set & Go'. So you can take advantage of night energy rates.

## EFFORTLESS CLEANING

#### **SMART FEATURES**

#### Can it handle every job?

There are useful programmes and features to suit a variety of needs. 'Rinse and Hold' is ideal for pre-washing your dishes, until the dishwasher is fully loaded. 'Intensive Care' gets even the dirtiest pots and pans ultra-clean. For safe, sparkling results, use the 'Special Glass' cycle and, for flexible loading, there are foldable cup shelves and plate racks.

#### Can it look after itself?

Yes, use an all-in-one detergent tablet for maximum convenience and you'll never have to worry about adding dishwasher salt or rinse aid.



## ENERGY EFFICIENT

Our new Quadro<sup>™</sup> dishwashers have an A or A+ energy efficiency rating. Good news for the environment and your pocket.

# A GUIDE TO OUR CLEANING ICONS

What do the Zanussi cleaning appliances do and why? Here's your quick guide to our handy functions, safety features and energy ratings.



**Fast.** Clever Zanussi features to get things done quicker. (▶

Handy. The things you couldn't live without.



#### **Auto Half Load** 1/2

Zanussi know you don't always have time to wait for a full load, all our dishwashers are designed to automatically determine whether there is a full or half load and will adapt the water and energy accordingly.



#### **Active Drying**

For the best drying results, active drying removes the steam leaving your dishes extra dry and sparkling clean.



#### Quick 60°C Wash

This unique programme is perfect for people on the go. It washes all the freshly soiled crockery from an evening meal for a family of four in just 30 minutes and with a temperature of 65°C, you will get an 'A' rated wash performance. No need to compromise quality for time.



#### **Delay Start**

Some Zanussi models feature a delay start option of up to 3, 6 or 9 hours allowing you to wash when it suits you.

#### **Rinse and hold**

A feature on all Zanussi models, which is ideal for pre-washing items until the dishwasher is fully loaded.



< 60 cm >

## **ZDT15006FA**

A+AA

12

The unique Quick Wash programme is perfect for people on the go. It washes all the freshly soiled crockery from an evening meal for a family of four in just 30 minutes and with a temperature of 65°C, you still get an A rated wash performance. No need to compromise on quality for time.

13L

49dB(A)

#### Specifications

- Delay start option to finish dish wash at your most convenient time
- Capacity: 12 place settings
- Number of programmes: 5
- Number of temperatures: 4
- Auto half load
- Active Drying: Gives you a better drying result by condensing the steam, leaving your dishes sparkling clean and extra dry
- Economy 50°C
- Normal 65°C with pre-rinse
- Fixed plate rack
- Foldable cup shelves
- Rinse and hold
- Salt & rinse aid indicators
- 13 litres water consumption
- A+ class energy efficiency
- A class cleaning performance
- A class drying performance



## ZDT12002FA





The unique Quick Wash programme is perfect for people on the go. It washes all the freshly soiled crockery from an evening meal for a family of four in just 30 minutes and with a temperature of 65°C, you still get an A rated wash performance. No need to compromise on quality for time.

#### Specifications

- Active Drying: Gives you a better drying result by condensing the steam, leaving your dishes sparkling clean and extra dry
- Capacity: 12 place settings
- Number of programmes: 5
- Number of temperatures: 3
- Half load option
- Economy 50°C
- Normal 65°C with pre-rinse
- Fixed plate rack
- Rinse and hold
- Salt indicator
- 14.3 litres water consumption
- A class cleaning performance
- A class drying performance

\* ZDT130011FA - New model from Autumn 2013. Specification as above with A+AA Energy rating.

For installation diagrams see page 113

105

## **ZDT11001FA**



The unique Quick Wash programme is perfect for people on the go. It washes all the freshly soiled crockery from an evening meal for a family of four in just 30 minutes and with a temperature of 65°C, you still get an A rated wash performance. No need to compromise on quality for time.

#### Specifications

- Active Drying: Gives you a better drying result by condensing the steam, leaving your dishes sparkling clean and extra dry
- Intensive programme 70°C in just 89 minutes
- Low energy consumption
- Capacity: 12 place settings
- Number of programmes: 5
- Number of temperatures: 3
- Economy 50°C
- Normal 65°C with pre-rinse
- Fixed plate rack
- Foldable cup shelves
- Rinse and hold
- Salt & rinse aid indicators
- A class energy efficiency
- A class cleaning performance
- A class drying performance
- Height adjustable upper basket

\* ZDT12011FA - New model from Autumn 2013. Specification as above with A+AA Energy rating.





#### Specifications

**ZDV12001FA** 

AAA

۳**9**۱

- Quick wash programme gives an A-rated wash performance in just 30 minutes!
- Intensive programme 70°C in just 89 minutes

 $\left< \frac{45}{CM} \right>$ 

13L

At just 45cm in width, this super-slim dishwasher

fits easily into most spaces, so even if room is

limited, you can still avoid the washing up!

53dB(A)

- Capacity: 9 place settings
- Number of programmes: 5
- Number of temperatures: 3
- Economy 50°C
- Normal 65°C with pre-rinse
- Fixed plate rack
- Foldable cup shelves
- Rinse and hold



#### **ZDI12001XA**



The unique Quick Wash programme is perfect for people on the go. It washes all the freshly soiled crockery from an evening meal for a family of four in just 30 minutes and with a temperature of 65°C, you still get an A rated wash performance. No need to compromise on quality for time.

#### **Specifications**

- Intensive programme 70°C in just 89 minutes
- Simple to use controls
- Capacity: 12 place settings
- Number of programmes: 5
- Delay start: 3 hrs
- Active drying
- Economy 50°C
- Normal 65°C with pre-rinse
- Fixed plate rack
- Foldable cup shelves
- Rinse and hold

\* ZDI12010XA - New model from Autumn 2013. Specification as above with A+AA Energy rating.



#### **ZSF2450S**



Compact outside but spacious inside, this efficient dishwasher is perfect for small households.

#### **Specifications**

- Automatic programme
- Time delay
- Capacity: 6 place settings
- Number of programmes: 5
- Number of temperatures: 4
- Residual drying
- 3 digit display
- Automatic 45-70°C wash
- Economy 55°C
- Salt & rinse aid indicators
- Time remaining indicator

**Colour Options** ZSF2450S - Silver ZSF2450 - White



For installation diagrams see page 113

FEATURES Capacity (number of IEC place settings) Electronic controls ED programme progress indicator End of programme alarm Delay start Salt refill indicator	2DT15006FA 12	20T12002FA 12 • •
Capacity (number of IEC place settings) Electronic controls LED programme progress indicator End of programme alarm Delay start Salt refill indicator	12 • •	12 • •
Capacity (number of IEC place settings) Electronic controls LED programme progress indicator End of programme alarm Delay start Salt refill indicator	12 • •	12 • •
Capacity (number of IEC place settings) Electronic controls LED programme progress indicator End of programme alarm Delay start Salt refill indicator	12 • •	12 • •
Capacity (number of IEC place settings) Electronic controls LED programme progress indicator End of programme alarm Delay start Salt refill indicator	• • •	• • •
Capacity (number of IEC place settings) Electronic controls LED programme progress indicator End of programme alarm Delay start Salt refill indicator	• • •	• • •
ED programme progress indicator End of programme alarm Delay start Salt refill indicator	•	•
End of programme alarm Delay start Salt refill indicator	•	•
Delay start Salt refill indicator	• 3/6/9/hr •	
Salt refill indicator	3/6/9/hr • •	
	•	
	•	•
Rinse and refill indicator		
Half load option		•
Number of programmes	5	5
Number of temperature options	3	3
NTERIOR	5	9
Jpper basket height	Adjustable full load	Adjustable
		,
Cup shelves	4 plastic	4 plastic
_ower basket plate racks	Fixed •	Fixed
Cutlery basket	•	•/•
Automatic rinse aid dispenser / Automatic detergent dispenser		
Drying	Active drying	Active drying
Stainless steel interior	•	•
NSTALLATION FEATURES		
Nater pressure min / max bar	0.5 - 8.0	0.5 - 8.0
Nater pressure min / max Mpa	0.05 - 0.8	0.05 - 0.8
Norktop steam protection	•	•
Fop & side fixing brackets	•	•
Recessed plinth	•	•
Feet-3 (front adjustment block)	•	•
PERFORMANCE		
Declared Programme	ECO 50	ECO 50
Energy efficiency class	A+	А
Energy efficiency index	62.3	67.3
Annual energy consumption kWh	288	311
Annual water consumption litres	3475	4005
Energy consumption kWh	1.01	1.08
Nater consumption litres	12.4	14.3
Drying performance	А	А
Maximum noise level dB(A) re 1pw	49	51
Cleaning performance	A	А
Programme time mins	155	135
Stand-by power (W)	0.99	1.9
Off mode power (W)	0.1	0.1
_eft-on mode power (W)	N/A	N/A
ELECTRIC CONNECTION		
Connected load KW / Fuse rating A	2.2/13	2.2/13
APPLIANCE DIMENSIONS		
Height / Width / Depth (mm)	818/596/555	818/596/555
BUILT-IN DIMENSIONS		
Height / Width / Depth (mm)	820-880/600/570	820-880/600/570
FURNITURE DOOR DIMENSIONS		
Height / width (mm)	645-720/596	645-720/596
Weight (kg)	2 - 10	2 - 10

#### ZDT11001FA ZDI12001XA ZDV12001FA ZSF2450 ZSF2450S 12 12 9 6 6 . . . . . • • • Зhr • • • 5 5 5 5 5 З З З 4 4 Adjustable Adjustable Adjustable 4 plastic 4 plastic 1 wire + 2 plastic 2 2 Fixed Fixed Fixed • • • • •/• •/• •/• •/• •/• Residual Residual Active drying Active drying Active drying 0.5 - 8.0 0.5 - 8.0 0.5 - 8.0 0.8 - 10 0.8 - 10 0.05 - 0.8 0.05 - 0.8 0.05 - 0.8 0.08 - 1.0 0.08 - 1.0 . . . . • • • • • • . • ECO 50 ECO 50 ECO 50 ECO 50 with Prerinse ECO 50 with Prerinse A 67.3 А А А А 67.3 70.6 67.8 67.8 311 311 249 188 188 4005 4005 3640 2100 2100 1.08 0.86 0.64 0.64 1.08 14.3 14.3 13 7.5 7.5 А А А В В 53 51 53 48 48 А А А Α Α 135 135 123 160 160 1.9 1.9 1.9 1.9 1.9 0.1 0.1 0.1 0.1 0.1 N/A N/A 1.9 1.9 1.9 2.2/13 2.2/13 2.2/13 1.08/13 1.08/13 818/596/555 818/446/550 447/545/480 818/596/575 447/545/480 820-880/600/570 820-880/600/570 820-900/450/570

Slim Width

10 m

Compact

Compact

#### Notes

- All models cold water fill
- Energy consumption is stated in kWh per standard test cycle, using cold water fill. Actual consumption will depend on how the appliance is used.
- 2) Estimated annual consumption based on 220 washing cycles.
- 3) Models with an 'A' rated classification offer a higher performance than those with a 'G' rating.
- 4) Time taken for a standard test cycle, using cold water fill.

\* ZDT130011FA -New model from Autumn 2013. Specification as above with A+AA Energy rating. 645-720/596

2 - 10

Fully integrated

Semi integrated

- 10 APR

\* ZDI12010XA -New model from Autumn 2013. Specification as above with A+AA Energy rating.

644-720/446

1.5 - 6

528-598/600

2 - 10

ZDT15006FA / ZDT12002FA / ZDT11001FA





ZDV12001FA

ZDI12001XA







## **EASY WASHING**

Zanussi offers you a range of washing machines and washer dryers that can help you get great results, with less time and effort.

Washing Machines	121
Washer Dryers	122
How they compare	123

## WASHING Made Easy.



## BIG WASH AND BUILT-IN

#### LARGE CAPACITY MODELS

**How much will they wash in one go?** All our built-in machines have an extra-large capacity drum of 7kg, large enough to wash a double size duvet.

## Can the appliance be integrated seamlessly?

Yes, and while your machine fits snugly into your kitchen, you get maximum performance.

## Is there a washer-dryer that can clean a large load?

Yes, our space-saving model is a standard built-in size, but can wash 7kg loads and also dry items weighing up to 4kg.





## **SAVING** You time

## EFFORTLESS WASHING

#### **HANDY PROGRAMMES**

## Is it possible to speed up laundry chores?

Yes, you can cut laundry time in half with our Quick Wash program, whether you're cleaning cottons, synthetics or delicates.

What about an outfit needed in a hurry? Our 30-minute program refreshes up to three lightly worn items in just half an hour at 30°C.

Can the machine be set to run later?

Yes, whenever best suits you with Set&Go. Your laundry appliance will start the cycle all by itself, after the time delay you request.

#### TOTAL CARE

## Is there a way to get clothes feeling really soft?

Yes, there's an extra-rinse option, ideal for sensitive skin. This cycle removes the vast majority of detergent from your load, so you always have super-soft, clean laundry.

#### Can it truly cut down on the ironing?

Yes, just select the 'easy iron' programme, which reduces creases.



## GREAT Performance

All our washing machines are rated A++, the highest grade possible in this category – among the highest energy grades possible for built-in washing machines out there.

# A GUIDE TO OUR LAUNDRY ICONS

What do the Zanussi laundry appliances do and why? Here's your guick guide to our handy functions, safety features and energy ratings.



## HANDY

#### **Easy Iron**

By keeping your wash load moving and using a cool down phase with cold water, this programme protects delicates and synthetic fabrics from developing permanent creases.



#### Mini 30

Ideal for once worn clothes or clothes you need in a hurry. Washes up to 13 items, in 30 minutes at 30°C.

#### Prewash

For extra dirty clothes, to loosen dirt and remove prior to the main wash.



#### **Super Quick**

Select a shorter time, by pressing the quick wash option.



#### **Different Spin Speed**

Higher spin speeds remove larger amounts of water out of the clothes. Every 200rpm increase in spin speed means 10 minutes less time tumble drying.

(7+5 KG

 $(\Box$ 

7+5kg Wash and dry capacity. With large wash to dry capacity, you can now conveniently wash & dry continuously without having to remove excess clothes after washing and before you start drying.

#### Handwash

HIL For handwash only label items. This is an extremely gentle programme.

#### **Delay Start**

Some Zanussi machines feature a Delay Start option, meaning you can wash when it suits you.

#### **Rinse Hold**

Suspends the laundry in the final rinse water until a convenient time for spinning, reducing creases and saving time.

#### WHAT TO LOOK OUT FOR...

- **Fast.** Clever Zanussi features to get things done quicker. Handy. The things you couldn't
- live without.
  - **Simple.** The touches that make



Smart. Practical solutions from great Zanussi thinking



#### **LCD** Display LCD

The stylish bright LCD display provides you with real time information about the various options selected and the progress of your wash.

#### Wool

This programme reduces the drum rotation so that clothes are gently and consistently moved in the water to reduce stretching and matting of delicate fabrics and woolens.



#### Silk Ж

Designed for silk items, this is a very gentle wash load for up to 1kg. The laundry is gently spun for a short time at the end of the programme.



B is the energy rating and A is the wash performance rating.

#### FlexiDose

Our washer range comes with a new FlexiDose option which gives you the flexibility to either use powder or liquid in the same detergent compartment to get that perfect wash result. No need to dispense liquid detergents differently.



#### **Inverter Motor**

The powerful brushless motor is not only designed to be silent and more durable but can also drive large loads at higher speeds for a longer time, giving a powerful wash performance in shorter wash times.

#### Jetsystem

The Jetsystem wash technology directs water straight into the heart of the laundry and automatically adjusts the amount of water and energy used based on the amount of clothes put in - saving you money!

#### Jetsystem+



A+

////

цÄ





#### A-10% Energy Performance

Energy rating for a washer is 10% better than energy efficiency class A.

## **Extra Rinse Option**





119

LAUNDRY

#### WASHING: WASHING MACHINES AND WASHER DRYERS







Best in class energy efficiency of A++ which is 20% more energy efficient than an A class machine, helping you save more money.

#### Specifications

- 7kg capacity
- 1200 spin speed
- A++ energy efficiency
- LCD display
- Delay start option
- Mini 30
- Programmes include: Handwash and Wool
- Options to tailor programmes include: Prewash, Extra rinse, Super quick and Economy

#### Specifications

7kg capacity

**ZWI71401WA** 

Best in class energy efficiency of A++ which

is 20% more energy efficient than an A class

machine, helping you save more money.

- 1400 spin speed
- A++ energy efficiency
  LCD display
- Delay start option
- Mini 30
- Programmes include: Handwash and Wool
- Options to tailor programmes include: Prewash, Extra rinse, Super guick and
- Economy





## ZWT71201WA (7:4) (200) (1200) CA (200) (200)

Built-in washer dryer for washing and drying with one appliance. The easy iron programme does most of the work for you by helping keep your clothes wrinkle-free.

#### Specifications

- 7kg wash capacity
- 4kg drying capacity
- 1200 spin speed
- A class wash performance
- LCD display
- Delay start option
- Programmes include:
- Quickwash, Handwash, Cotton, Synthetic and Dry
- Option to tailor programmes include:
- Delay start, Super quick and Extra rinse - Drying time

## ZWT71401WA



Built-in washer dryer for washing and drying with one appliance. The easy iron programme does most of the work for you by helping keep your clothes wrinkle-free.

#### Specifications

- 7kg wash capacity
- 4kg drying capacity
- 1400 spin speed
- A class wash performance
- LCD display
- Delay start option
- Programmes include:
- Quickwash, Handwash, Cotton, Synthetic and Dry
- Options to tailor programmes include: Delay start and Extra rinse
- Drying time

WASHING

## WASHING: WASHING MACHINES AND WASHER DRYERS

	Washing ZWI71201WA	ZWI71401WA	Washe ZWT71201WA	r <b>Dryers</b> ZWT71401WA
FEATURES				
Wash system	Aqua cycle	Aqua cycle	Aqua cycle	Aqua cycle
Wash capacity (kg)	7	7	7	7
Drying capacity (kg)			4	4
CONTROLS				
LCD display	•	•	•	•
Electronic controls	•	•	•	•
Rotary controls	•	•	•	•
Push buttons	7	7	7	7
Delay timer (hours)	20	20	20	20
PROGRAMMES				
Cottons	•	•	•	•
Cotton prewash			•	•
Synthetics	•	•	•	•
Delicates	•	•	•	•
Vool	•	•	•	
vooi Handwash	•	•	•	
Jeans	•	•	•	•
			•	•
Cold wash			•	•
Drying programme OPTIONS			•	•
		•		
Quick wash	•	•	•	•
Spin speed reduction/rinse hold	•	•	•	•
Prewash	•	•		
Extra Rinse	•	•	•	•
Economy	•	•	•	•
Easy iron	•	•	•	•
Drying time PERFORMANCE			•	•
Declared programmes	Std cotton 60 half & full load/Std cotton 40 half load	Std cotton 60 half & full load/Std cotton 60 half load	Std cottons 60	Std cottons 60
Energy efficiency class	A++	A++	С	В
Energy efficiency index	49.6	49.6		
Spin drying efficiency label	В	В		
Annual energy consumption (kWh)	190	190	1302	1134
Annual water consumption (litres)	10469	10460	25000	19800
Maximum spin speed (rpm)	1200	1400	1200	1400
Washing noise level (dB(A) re 1pw)	56	56	56	56
Spin noise level (dB(A) re 1pw)	72	74	72	74
Drying noise level (dB(A) re 1pw)			62	62
Residual humidity (%)	53	52		
Stand-by power (W)	1.9	1.9	1.9	1.9
Off mode power (W)	0.1	0.1	0.1	0.1
_eft-on mode power (W)	1.6	1.6	N/A	N/A
_eft-on mode duration (Min)	5	5	N/A	N/A
Washing performance	А	А	А	А
Energy consumption (kWh)			6.51	5.67
Water consumption (litres)			125	99
Nater extraction efficiency			54	52
ELECTRICAL AND WATER CONNECTION	DN			
/oltage/Frequency Volts/Hz	240/50	240/50	240/50	240/50
Connected load (Watts)	2050	2050	2050	2050
Fuse rating A	13	13	13	13
	Cold	Cold	Cold	Cold
Vater fill			23.4	5010
Water fill				
APPLIANCE DIMENSIONS		820 x 600 × 544	820 x 600 x 544	820 x 600 x 54
APPLIANCE DIMENSIONS Height x Width x Depth (mm)	820 x 600 x 544	820 x 600 x 544 60.4	820 x 600 x 544 68.4	
		820 x 600 x 544 60.4	820 x 600 x 544 68.4	820 x 600 x 544 68.4

ZWI71201WA / ZW171401WA / ZWT71401WA / ZWT71201WA





#### NOTES

- \* PD10 kit for 50mm extra height optional extra 1) Models with an 'A' rated classification offer a higher
- performance than those with a 'G' rating
- 2) Based on standard test results for 60°C cotton cycle
- 3) Based on standard test results for 60°C cotton cycle and 'dry cotton' drying cycle
- 4) Average annual consumption for a 4 person household based on 200 standard 60°C cotton cycles, never using the dryer
- 5) Average annual consumption for a 4 person household based
- on 200 standard 60°C cotton cycles, always using the dryer

## ENERGY: EFFICIENCY

#### **EU ENERGY EFFICIENCY INFORMATION**

This scheme, which covers refrigerators, freezers, washing machines, tumble dryers, dishwashers and electric ovens is designed to offer consumers a standardised method of choosing the most energy efficient appliances. For refrigerators and freezers, as well as stating the energy efficiency class (A+++ - most efficient, 'D' - least efficient) the label also gives the annual electricity consumption (i.e. running cost) freezing capacity, noise level and the usable storage capacity.

For dishwashers the label states energy efficiency, water consumption, drying level, place settings and noise level.

For electric ovens the label also states the energy consumption (in kWh) and the usable volume of the oven. If the oven is a double oven it will carry this information for both ovens.



Example of refrigeration energy label.



Example of dishwasher energy label.



Follow #EasyTeam for tips to make your life easier! Twitter.com/zanussi\_UK Facebook.com/ZanussiAppliances

Electrolux Major Appliances Addington Way, Luton Bedfordshire LU4 9QQ Telephone: 08445 612 612

Registered in England No. 2331516

Electrolux Ireland Long Mile Road Dublin 12 Telephone: 00 35 3140 90750 Registered in Ireland No. 9118

#### More information? Easy.

For everything you need to know about the range from Zanussi, simply take a look at our website: www.zanussi.co.uk

