

# **EUROGRIP** THE BIKE TYRE SPECIALIST

## 2026 PRODUCTS RANGE





EUROGRIP international range of tyres are designed by the Italian R&D Center located in Milan, by a team of experienced engineers skilled in both the product and the process. All tyres features such as tread design, compound, structure, profile and such, are finely tuned to ensure they provide the best experience for the riders. Through predictive technology, modelling and Finite Element Analysis, multiple simulations are run to study the interaction of all tyres components between each others. A constant research on new technologies is pursued to ensure new solutions can always be implemented when the opportunity arises.



Several rigorous testing cycles are conducted on new products prototypes, to stretch them well beyond the limits of common usage. Testing happens both indoor, in dedicated labs with advanced measuring tools and sensor equipped machinery, and outdoor. The latter consists of multiple trials on track (asphalt or off-road, depending on the product) and open roads. This way, both dynamical performances (grip on dry and wet, stability, agility, control, comfort) and durability can be tested against reference competition on the market. To ensure maximum effectiveness, these trials are carried out by professional 3<sup>rd</sup> party testers on different vehicles and across multiple weather, temperature and road conditions.



Eurogrip tyres are commercialized by a network of over 400 distributors in 90 countries, and this number is constantly expanding towards new markets. We take inputs from users and vehicles manufacturers located across all 6 continents, confident in our ability to address a multitude of different riding experience, vehicle types and environmental conditions. We support the growth of our brand and distribution with ATL and BTL marketing activities through digital and physical means. We are on par with global requirements in terms of legal homologations and sustainability certifications, to ensure riders everywhere the possibility to fit our tyres under their motorcycles, whatever that may be. This makes **Eurogrip The Bike Tyre Specialist.**

# PRODUCT RANGE



**PROTORQ EXTREME**



**ROADHOUND**



**BEAMER YS+**



**SPORT &  
TOURING**



**BEAMER HS/VS**



**ATT 240**



**RIB/SIMHA**



**TOURING**



**TRAILHOUND STR**



**TRAILHOUND SCR**



**TRAIL ROAD**



**TRAILHOUND WILD**



**TERRABITE DB+**



**ATT 1015**



**TRAIL  
ON/OFF**



**CLIMBER XC**



**CLIMBER XC-R**



**CLIMBER MX JUNIOR**



**OFF-ROAD**



**BEE CONNECT**



**BEE WILD**



**BEE CONNECT UHP**



**SCOOTER**



**BEE GLASSY**



**DRAGON PRO**



**CONTA 545**



**BEE MOVING**

**SCOOTER &  
ULT**

# PROTORQ EXTREME



Track & Road tyre for medium displacement motorcycles, designed to offer plug & play sport performances on a street legal tyre with stylish tread pattern. OE on the Aprilia RS 457 and the Tuono 457.

RIM	SIZE	WHEEL
	110/70 ZR 17 54W TL	FRONT
	110/70 ZR 17 54W TL APRILIA	FRONT
17	140/70 ZR 17 66W TL	REAR
	150/60 ZR 17 66W TL	REAR
	150/60 ZR 17 66W TL APRILIA	REAR



## OE HOMOLOGATIONS

BRAND	MODEL	FRONT	REAR
APRILIA	RS457/TUONO 457	110/70 ZR 17 54W TL APRILIA	150/60 ZR 17 66W TL APRILIA
BMW	G310R	110/70 ZR 17 54W TL	150/60 ZR 17 66W TL

# ROADHOUND



Follow the Hound and enjoy the ride on twisty roads, mountain passes, highways and cities. Whether travelling alone or in a company, on a thrilling sport bike, a versatile naked or a comfy tourer, Roadhound dynamical performances will carry you for miles and miles ahead.



RIM	SIZE	WHEEL
	120/60 ZR 17 (55W) TL	FRONT
	120/70 ZR 17 (58W) TL	FRONT
17	160/60 ZR 17 (69W) TL	REAR
	170/60 ZR 17 (72W) TL	REAR
	180/55 ZR 17 (73W) TL	REAR
	190/50 ZR 17 (73W) TL	REAR

RIM	SIZE	WHEEL
	100/80 - 17 52H TL	F+R
	110/70 - 17 54H TL	F+R
	110/80 - 17 57H TL	FRONT
17	120/70 - 17 58H TL	F+R
	130/70 - 17 62H TL	REAR
	130/80 - 17 65H TL	REAR
	140/70 - 17 66H TL	REAR
18	100/90 - 18 56H TL	FRONT
	130/70 - 18 63H TL	REAR
19	100/90 - 19 57H TL	FRONT

# TRAIL HOUND STR

## TRAIL ROAD

The road doesn't end where the asphalt stops: a tyre to carry on every surface the adventure seeking rider. Featuring Quadrazone multicomound tech for enhanced mileage and grip, Trailhound STR is the perfect fit for all medium and big Enduro motorcycles.

RIM	SIZE	WHEEL
17	120/90 - 17 64H TL	REAR
	130/80 - 17 65H TL	REAR
	130/80 R 17 65H TL	REAR
	140/80 R 17 69H TL	REAR
	150/70 R 17 69V TL	REAR
	170/60 R 17 72V TL	REAR
18	150/70 R 18 70V TL	REAR
	100/90 - 19 57V TL	FRONT
19	110/80 R 19 59V TL	FRONT
	120/70 R 19 60V TL	FRONT
21	90/90 - 21 54H TL	FRONT
	90/90 - 21 54V TL	FRONT



# TRAIL HOUND SCR

No such time as the present to bring out the classics! Trailhound SCR brings all rides up to speed with the challenges of modern traffic conditions while retaining their original charm.

RIM	SIZE	WHEEL
17	110/70 R 17 54H TL	FRONT
	120/90 - 17 64S TL	REAR
	130/80 R 17 65H TL	REAR
	140/60 R 17 63H TL	REAR
	140/70 R 17 66H TL	REAR
	150/60 R 17 66H TL	REAR
18	150/70 R 17 69H TL	REAR
	100/90 - 18 56H TL	FRONT
19	130/70 - 18 63H TL	REAR
	100/90 - 19 57H TL	FRONT



# TRAIL HOUND WILD

## TRAIL ON/OFF

Gravel, stone paving, dirt roads, asphalt, cobblestones...no terrain is off-limit with Trailhound Wild, 70/30 tyre developed to empower every rider's wanderlust.

RIM	SIZE	WHEEL
17	150/70 R 17 69V TL M+S	REAR
	170/60 R 17 72V TL M+S	REAR
18	150/70 R 18 70V TL M+S	REAR
	100/90 - 19 57V TL M+S	FRONT
19	110/80 R 19 59V TL M+S	FRONT
	120/70 R 19 60V TL M+S	FRONT
21	90/90 - 21 54V TL M+S	FRONT



## BEAMER YS+

RIM	SIZE	WHEEL
17	100/90-17 55P TL	REAR
	140/70-17 66S TL	REAR
	2.75-18 48P 6PR TT	REAR
18	80/100-18 54P TL REINF	REAR
	120/80-18 62P TL	REAR
19	100/90-19 57P TL	FRONT



## BEAMER HS/VS

RIM	SIZE	WHEEL
17	3.00-17 50P 6PR TT BEAMER VS	REAR
	80/100-17 46P TL BEAMER HS	FRONT
	100/80-17 52P TL BEAMER HS	FRONT
	100/90-17 55P TL BEAMER VS	REAR
18	2.75-18 48P 6PR TT BEAMER VS	REAR
	3.00-18 52P 6PR TT BEAMER VS	REAR



## ATT 240

RIM	SIZE	WHEEL
15	130/90-15 66P TL	REAR
17	90/90-17 49P TL	FRONT



## RIB & SIMHA

RIM	SIZE	WHEEL
17	2.50-16 41L 6PR TT SIMHA	FRONT
	2.75-17 41P 4PR TT RIB	FRONT



RIB

SIMHA

## TERRABITE DB+ ATT 1015

RIM	SIZE	WHEEL
16	110/90-16 59P TL	REAR
17	110/90-17 60S TL	REAR
	2.75-18 42P 4PR TT	REAR
18	110/90-18 61P TL	REAR
	120/80-18 62P TT	REAR
19	90/90-19 52P TL	FRONT



RIM	SIZE	WHEEL
18	120/80-18 62H TT	REAR
21	90/90-21 54H TT	FRONT



# CLIMBER XC



High performing and easy to use street legal tyres, with enhanced versatility on various terrains. Reversible tread pattern and durable compound allow for increased durability.

RIM	SIZE	WHEEL
18	110/100 - 18 64M TT MST	REAR
	120/90 - 18 65R TT MST	REAR
	140/80 - 18 70R TT MST	REAR
19	100/90 - 19 57M TT MST	REAR
	110/90 - 19 62M TT MST	REAR
	120/80 - 19 63M TT MST	REAR
21	80/100 - 21 51M TT MST	FRONT
	80/90 - 21 48R TT MST	FRONT
	90/90 - 21 54R TT MST	FRONT
	90/100 - 21 57R TT MST	FRONT



# CLIMBER XC-R

Enduro FIM compliant tyre for those looking to challenge others and themselves. Featuring dedicated compounds, structures and knobs design to tackle the toughest terrains.

RIM	SIZE	WHEEL
18	140/80 - 18 70R TT MST MEDIUM	REAR
	140/80 - 18 70R TT MST SOFT	REAR
	140/80 - 18 70R TT MST SUPERSOFT	REAR



# CLIMBER MX JUNIOR

Versatile and high-performance tyre for Junior Motocross and Enduro, perfect for usage on a variety of terrains when training, racing or simply having fun.

RIM	SIZE	WHEEL
12	80/100 - 12 50M NHS	REAR
14	60/100 - 14 29M NHS	FRONT
16	90/100 - 16 51M NHS	REAR
19	70/100 - 19 42M NHS	FRONT



A trustworthy companion for every environment: city, highways, country roads. Good dynamical performances on any surface: safety grip, comfort, handling. Enhanced durability and puncturing resistance.



RIM	SIZE	WHEEL
10	3.00 - 10 50J REINF TL	F+R
	3.50 - 10 59J REINF TL	F+R
	90/90 - 10 50J TL	F+R
	100/80 - 10 53L TL	F+R
	100/90 - 10 56J TL	F+R
	120/70 - 10 54L REINF TL	F+R
	120/90 - 10 66L TL	F+R
	130/70 - 10 59L REINF TL	F+R
11	130/90 - 10 61L TL	F+R
	110/70 - 11 45L TL	F+R
	120/70 - 11 56L REINF TL	F+R
12	90/90 - 12 54P REINF TL	F+R
	100/90 - 12 59P TL	FRONT
	110/70 - 12 47P TL	F+R
	110/70 - 12 47P TL PIAGGIO	F+R
	110/90 - 12 64P TL	F+R
	120/70 - 12 51S TL	F+R
	120/70 - 12 58S REINF TL PIAGGIO	F+R
	120/80 - 12 65S TL	F+R
13	130/70 - 12 62P REINF TL	F+R
	140/70 - 12 65P REINF TL	REAR
	110/70 - 13 48S TL	F+R
	110/90 - 13 56P TL	FRONT
	120/70 - 13 53P TL	FRONT
	130/60 - 13 60P REINF TL	F+R
	130/70 - 13 63P REINF TL	REAR
	140/60 - 13 63P REINF TL	REAR
14	140/70 - 13 61P TL	REAR
	150/70 - 13 64S TL	REAR

RIM	SIZE	WHEEL
14	80/80 - 14 43S REINF TL	F+R
	90/80 - 14 49S REINF TL	F+R
	90/90 - 14 46S TL	F+R
	100/80 - 14 54S TL	F+R
	100/90 - 14 57P REINF TL	REAR
	110/70 - 14 56S REINF TL	F+R
	110/80 - 14 59S REINF TL	F+R
	120/70 - 14 55S TL	FRONT
	120/80 - 14 58S TL	F+R
	140/60 - 14 64S REINF TL	REAR
15	140/70 - 14 68S REINF TL	REAR
	150/70 - 14 66S TL	REAR
	120/70 - 15 56S TL	FRONT
	130/80 - 15 63S TL	REAR
16	80/80 - 16 45S REINF TL	F+R
	80/90 - 16 43S TL	F+R
	90/80 - 16 51S REINF TL	F+R
	100/80 - 16 50P TL	F+R
	110/70 - 16 52S TL	F+R
	110/70 - 16 52S TL PIAGGIO	F+R
	120/70 - 16 57S TL	FRONT
	120/80 - 16 60P TL	REAR
	130/70 - 16 61S TL	REAR
	130/70 R 16 61S TL	REAR
17	140/70 - 16 65S TL	REAR
	2.50 - 17 43S REINF TT	F+R
	2.75 - 17 47S REINF TT	F+R
	70/90 - 17 38S TL	F+R
	80/90 - 17 44S TL	F+R
	90/80 - 17 46S TL	F+R
	90/90 - 17 49S TL	F+R

## OE HOMOLOGATIONS

BRAND	MODEL	FRONT	REAR
ASKOLL	XKP / NGS	90/80 - 16 51S REINF TL	110/70 - 16 52S TL
ASKOLL	EVOLution	80/80 - 16 45S REINF TL	90/80 - 16 51S REINF TL
PIAGGIO	BEVERLY 310	110/70 - 16 52S TL PIAGGIO	140/70 - 14 68S REINF TL
PIAGGIO	VESPA PRIMAVERA	110/70 - 12 47P TL PIAGGIO	120/70 - 12 51S TL PIAGGIO

Riding with confidence through daily adventures within and outside city limits. 80/20 tyre designed to offer grip on dry and wet asphalt, traction on rough surfaces, durability and handling.

RIM	SIZE	WHEEL
12	120/70 - 12 51S TL M+S	F+R
	120/80 - 12 65S TL M+S	F+R
	130/70 - 12 62P REINF TL M+S	F+R
	130/80 - 12 69S TL M+S	REAR
13	110/70 - 13 48S TL M+S	F+R
	130/60 - 13 60P REINF TL M+S	F+R
	130/70 - 13 63P REINF TL M+S	REAR
	140/70 - 13 61P TL M+S	REAR
	150/70 - 13 66S TL M+S	REAR
14	110/80 - 14 58S TL M+S	F+R
	120/80 - 14 58S TL M+S	F+R
	140/70 - 14 68S REINF TL M+S	REAR
	150/70 - 14 66S TL M+S	REAR
15	120/70 - 15 56S TL M+S	FRONT
16	120/70 - 16 57S TL M+S	FRONT



Sportier version of Bee Connect, dedicated to adrenaline lovers and featuring compound and inner structure enhancing dry grip and nimble handling

RIM	SIZE	WHEEL
12	110/70 - 12 47P TL	F+R
	120/70 - 12 51S TL	F+R
	130/70 - 12 62P REINF TL	F+R
14	90/80 - 14 49S REINF TL	F+R
	110/80 - 14 59S REINF TL	F+R
	120/70 - 14 55S TL	FRONT
	140/70 - 14 68S REINF TL	REAR
15	120/70 - 15 56S TL	FRONT
17	90/80 - 17 46S TL	F+R




RIM	SIZE	WHEEL
10	3.00 - 10 50J TL	F+R
	3.50 - 10 59J TL	F+R



RIM	SIZE	WHEEL
17	2.50 - 17 43P TT	F+R
	2.75 - 17 47P TT	F+R



RIM	SIZE	WHEEL
12	120/70 - 12 58P REINF TL	F+R



RIM	SIZE	WHEEL
10	4.00 - 10 79L	F+R
	6PR M+S TT	F+R
	4.50 - 10 80L	F+R
	8PR M+S TT	

OE HOMOLOGATIONS

BRAND	MODEL	FRONT	REAR
APRILIA	SXR50	120/70 - 12 58P REINF TL	120/70 - 12 58P REINF TL

High quality multipurpose butyl tubes, manufactured in-house and subjected to rigorous trials before market introduction

### HEAVY DUTY - 4mm THICKNESS

RIM	TYRE SIZES FITMENT	VALVE
18	110/100-18; 120/90-18; 140/80-18	TR 29
19	100/90-19; 110/90-19; 120/80-19	TR 29
21	80/100-21; 90/90-21; 90/100-21	TR 29

### REINFORCED - 2,5mm THICKNESS

RIM	TYRE SIZES FITMENT	VALVE
12	80/100 - 12	TR 29
14	60/100 - 14	TR 29
16	90/100 - 16	TR 29
19	70/100 - 19	TR 29

### STANDARD - 1,5mm THICKNESS

RIM	TYRE SIZES FITMENT	VALVE
8	4.00 - 8	V1-08-03
	3.50-10; 90/90-10	V1-08-01
10	4.00-10	TR 13
	3.00 -10	V1-08-03
	2.75 - 10	V1-08-03
12	90/90 - 12	V1-08-01
	145/70-12 , 155/80-12	TR 13
	3.75-12	V1-08-01
	90/90 - 12	V1-08-01
13	165/80 -13	TR 13
15	130/90-15	TR 29
	2.25-16 / 2.50-16	TR 29
16	120/80 - 16	TR 29
	2.50 - 16	TR 29
	2.25 / 2.50-17	TR 29
17	90/90-17 ; 100/90-17	TR 29
	110/80-17;120/80-17	TR 29
	2.75-17	TR 29
	2.75-17 / 3.00-17	TR 29

### REINFORCED - 2,5mm THICKNESS

RIM	TYRE SIZES FITMENT	VALVE
10	4.50-10; 5.00-10	TR 13
	2.50 - 18	TR 29
	90/90-18 ; 100/80-18	TR 29
	100/90-18	TR 29
18	110,120/90,4.50/4.60-18	TR 29
	3.00/3.25-18	TR 29
	3.25 / 3.50 - 18	TR 29
	120/80-18	TR 29
	2.75 - 18	TR 29
19	3.00 - 18	TR 29
	3.00-19 / 3.25 -19	TR 29
	100/90-19	TR 29



**ENGINEERED WITH PASSION - BUILT WITH CONSCIENCE**



**Business sustainability is a key part of Eurogrip, with close to 80% of the energy used in the factory coming from renewable sources, chiefly (but not exclusively) produced by the 5.4MW solar panels installed in the factory roof. Additional upgrades are already on the way to further increase this percentage and ensuring sustainability and reusability in all parts of the tyre building process. For example, water harvesting and recycling tanks have been installed ensuring this resource can be reused, and a Biomass based generator has been constructed as well. Boilers are powered by rice husks, whose leftovers are used as nutrient for cultivation of vegetables and fruits. We are already compliant with the strictest regulation in terms of deforestation, sustainability and safety of all the materials employed.**



***BROUGHT TO YOU BY:***